



BHP11201 (Y)

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	BOSCH	1127319552 1127320852
Diameter OD: 112mm	WAI	31-9121
With M8×30mm Battery Post	CARGO	135176 138077 230242
With Trio	MOBILETRON	RB-22H
	TRANSPO	IBR852
BHP11203 (Y)	BOSCH	1127320850
Diodes:8-50A Avalanche	CARGO	135439
	TRANSPO	IBR850



BHP11204 (Y)

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	BOSCH	1 127 319 593
Diameter OD: 112mm		1 127 320 807
With M8 × 30mm Battery Post	WAI	31-9126
With Trio	CARGO	135175 137333
BHP11202B	MOBILETRON	RB-121H
Diodes: 8-35A Avalanche	TRANSPO	IBR844
For 24V Alternators		
BHP11202		
Diodes: 8-50A Avalanche		



BHP11205 (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche		
Diameter OD: 112mm		
With M8×30mm Battery Post		
With Trio		
BHP11205-2		
Diodes: 6-50A Avalanche		



BHP11206 (Y)

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	BOSH	1127319 021
Diameter OD: 112mm		1127319 673
With M8×30mm Battery Post	CARGO	135546
With Trio		
BHP11206-1		
Diodes:8-50A Avalanche		



BHP11207 (Y)

FEATURES	Original & X-References..	
Diodes: 6-35A Avalanche		
Diameter OD: 112mm		
With M6×30mm Battery Post		
With Trio		
With 1.2 Kilohm Resistor		



Φ112mm

BHP11209 (Y)

FEATURES	Original & X-References..	
Diodes: 6-35A Avalanche	BOSCH	1127319623
Diameter OD: 112mm		1127320882
With M8×40.5mm Battery Post	CARGO	137257
With Trio	MOBILERTRON	RB-101H
	UNIPOINT	REC 243

BHP11209-1

Diodes: 8-35A Avalanche



Φ112mm

BHP11210B (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	BOSCH	1127319792
Diameter OD: 112mm		
With M8 Battery Post		
Without Trio		
For 24V Alternators		
For use on : 0 123 325 5500		



Φ112mm

BHP11211 (Y)

FEATURES	Original & X-References..	
Diodes: 8-35A Avalanche		
Diameter OD: 112mm		
With M6×30mm Battery Post		
With Trio		

BHP11211-1

Diodes: 6-35A Avalanche



Φ112mm

BHP11213 (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	BOSCH	1127319671
Diameter OD: 112mm	CARGO	139571
With M6 Battery Post	TRANSPO	IBR671
With Trio		



Φ112mm

BHP11214 (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche		
Diameter OD: 112mm		
With M8×40.5mm Battery Post		
Without Trio		



BHP11215 (Y)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 112mm
 With M8 Battery Post
 With Trio

Original & X-References..

BHP11215-1

Diodes: 8-50A Avalanche



BHP12201 (Y)

FEATURES

Diodes: 14-50A Avalanche
 Diameter OD: 122mm
 With M8×30mm Battery Post
 With Trio
 For use on : Mercedes Benz

Original & X-References..

BOSCH	1 127 319 552
	1 127 320 852
WAI	31-9121
CARGO	135605
TRANSPO	IBR834

BHP12201-1

Diodes:12-50A Avalanche

BHP12201B

Diodes:14-35 A Avalanche
 For 24V Alternators

TRANSPO	IBR824
---------	--------



BHP12202 (Y)

FEATURES

Diodes: 8-50A Avalanche
 Diameter OD: 122mm
 With M8×30mm Battery Post
 With Trio
 For use on : VW Corado , Golf, Passat,
 Jetta, Eurovan

Original & X-References..

WAI	31-9127
CARGO	138074
TRANSPO	IBR854

BHP12202-1

Diodes:12-50A Avalanche



BHP12204 (Y)

FEATURES

Diodes: 12-50A Avalanche
 Diameter OD: 122mm
 With M8×30mm Battery Post
 With Trio

Original & X-References..

BOSCH	1 127 319 690
	1 127 320 860
CARGO	137259
TRANSPO	IBR860

For use on :1991-00 BMW w/140A



BHP12205 (Y)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 122mm
 With M8×30mm Battery Post
 With Trio

Original & X-References..



BHP12206 (Y)

FEATURES	Original & X-References..	
Diodes: 14-50A Avalanche	BOSCH	1127319712
Diameter OD: 122mm		1127319641
With M8×30mm Battery Post		
With Trio		



BHP12207 (Δ)

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche		
Diameter OD: 122mm		
With M8×30mm Battery Post		
With Trio		



BHP12208 (Δ)

FEATURES	Original & X-References..	
Diodes: 12-50A Avalanche		
Diameter OD: 122mm		
With M8×30mm Battery Post		
With Trio		

BHP12208B

For 24V Alternators



BHP12208-1 (Δ)

FEATURES	Original & X-References..	
Diodes: 12-50A Avalanche		
Diameter OD: 122mm		
With M8×30mm Battery Post		
With "W" terminal		
With Trio		

BHP12208B-1

For 24V Alternators



BHP12209 (Δ)

FEATURES	Original & X-References..	
Diodes: 6-60A Avalanche	BOSCH	1127319501
Diameter OD: 122mm		1127319578
With M8×30mm Battery Post		1127319952
With Trio	TRANSPO	IBR501



BHP12210 (Y)

FEATURES	Original & X-References..	
Diodes: 8-60A Avalanche	BOSCH	1127319501
Diameter OD: 122mm		1127319578
With M8×30mm Battery Post		1127319752
With Trio	TRANSPO	IBR501



BHP12211B (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	BOSCH	1 127 319 721
Diameter OD: 122mm	CARGO	234357
With M8×40.5mm Battery Post		
Without Trio		
For 24V Alternators		



BHP12212 (Y)

FEATURES	Original & X-References..	
Diodes: 12-50A Avalanche	BOSCH	1 127 319 692
Diameter OD: 122mm	CARGO	139252
With M8×40.5mm Battery Post	TRANSPO	IBR692
Without Trio		



BHP12213B (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	BOSCH	1 127 319794
Diameter OD: 122mm	CARGO	234333
With M8 Battery Post		
Without Trio		
For 24V Alternators		



BHP12215 (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche		
Diameter OD: 122mm		
With M8×30mm Battery Post		
With Trio		

BHP12215B

Diodes: 8-50A Avalanche
For 24V Alternators



BHP12216 (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	BOSCH	1127319568
Diameter OD: 122mm		1127319732
With M8×30mm Battery Post With Trio	CARGO	138080

BHP12216-1

With M6×30mm Battery Post



BHP12218 (Δ)

FEATURES	Original & X-References..	
Diodes: 12-50A Avalanche	BOSCH	1127319771
Diameter OD: 122mm	CARGO	233923
With M8×30mm Battery Post With Trio		



BHP12219 (Δ)

FEATURES	Original & X-References..	
Diodes: 12-50A Avalanche		
Diameter OD: 122mm		
With M8×30mm Battery Post With Trio		



BHP12220 (Y)

FEATURES	Original & X-References..	
Diodes: 12-50A Avalanche		
Diameter OD: 122mm		
With M8×40.5mm Battery Post With Trio		

BHP12220-1

Diodes: 14-50A Avalanche



BHP12226 (Δ)

FEATURES	Original & X-References..	
Diodes: 12-60A Avalanche		
Diameter OD: 122mm		
With M8×30mm Battery Post With Trio		



BHP9001

FEATURES	Original & X-References..	
Diodes : 6-35 Ampere	BOSCH	1 127 320 152
Diameter OD : 90mm		1 127 320 192
With Trio		1 127 320 319
	CARGO	130597
For use on : Agrifur, Fiat, Lancia, Marshall Tractor, Same, Styer	MOBILETRON	RB-10H
	TRANSPO	IBR318



BHP9002

FEATURES	Original & X-References..	
Diodes : 6-35 Ampere		
Diameter OD : 90mm		
With M6×52mm Battery Post		
With M5×28mm Trio Post		
With M5×48mm W-Post		
With Trio		



BHP9003

FEATURES	Original & X-References..	
Diodes : 6-35 Ampere	BOSCH	
Diameter OD : 90 mm	1 127 320 115	1 127 320 116
With M6×52mm Battery Post	1 127 320 141	1 127 320 142
With Trio	WAI	31-9144
	CARGO	132670
For use on : John Deere, IH	MOBILETRON	RB-13J
	TRANSPO	IBR307



BHP9005

FEATURES	Original & X-References..	
Diodes : 6-35 Ampere		
Diameter OD : 90mm		
With M6×52mm Battery Post		
With M5×28mm Trio Post		
With Trio		



BHP9006

FEATURES	Original & X-References..	
Diodes: 6-35A Ampere		
Diameter OD: 90mm		
With M6×37mm Battery Post		
With Trio		



BHP11401

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	
Diameter OD: 114mm	1 127 011 098	1 127 011 101
With M6×52.5mm Battery Post	1 127 320 344	1 127 320 363
With M4×42mm Trio Post	1 127 320 366	1 127 320 367
With M5×48mm W-Post	WAI	31-9139
With Trio	CARGO	133138
For use on : DAF, Mercedes Benz, Renault Midliner, Steyer, Saab Scania	MOBILETRON	RB-08H
BHP11401HD 6-50Ampere	TRANSPO	IBR313



BHP11402

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	
Diameter OD: 114mm	1 127 011 095	1 127 011 096
With M6×52.5mm Battery Post	1 127 011 097	1 127 011 103
With M4×42mm Trio Post	1 127 320 147	1 127 320 331
With M5×48mm W-Post	WAI	31-9140
With Trio	CARGO	131468
For use on: Mercedes Truck	TRANSPO	IBR314
BHP11402HD 6-50 Ampere		
BHP11402A 6-50A Avalanche		
BHP11402B 6-35A Avalanche		
For 24V Alternators		



BHP11403

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	
Diameter OD: 114mm	1 127 320 909	1 127 041 132
With M8×52.5mm Battery Post	CARGO	133995
With M4×42mm Trio Post	MOBILETRON	RB-14H
With M5×48mm W-Post	TRANSPO	IBR315
With Trio		
For use on : Mercedes Benz Trucks		
BHP11403HD 6-50 Ampere		
BHP11403B 6-35A Avalanche		
For 24V Alternators		



BHP11404

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	
Diameter OD: 114mm	1 127 011 113	1 127 011 114
With Trio	1 127 011 115	1 127 011 135
	1 127 320 101	1 127 320 103
BHP11404HD	WAI	31-9100
Diodes: 6-50 Ampere	CARGO	130603
	MOBILETRON	RB-01HA
	TRANSPO	IBR303



BHP11406

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere		
Diameter OD: 114mm		
With M6×50.4mm Battery Post		
With M5×47.2mm Trio Post		
With Trio		
BHP11406HD		
Diodes:6-50 Ampere		

BHP11407



FEATURES

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M8×53.5mm Battery Post
With Trio/With Capacitor
With 220 Ohm Resistor

BHP11407B

Diodes: 8-50A Avalanche
For 24V Alternators

BHP11408

Diodes: 8-35 Ampere
With M6×52.5mm Battery Post

Original & X-References..

BHP11409



FEATURES

Diodes: 6-35 Ampere
Diameter OD: 114mm
With M6×50mm Battery Post
With M4×42mm Trio Post
With M5×48mm W-Post
With Trio
For use on: IHC, Iveco, MAN, KHD,
Mercedes Benz Truck

BHP11409HD

Diodes: 6-50 Ampere

Original & X-References..

BOSCH		
	1 127 011 095	1 127 011 096
	1 127 011 097	1 127 011 103
	1 127 320 147	1 127 320 331
WAI		31-9140
CARGO		131468
MOBILETRON		RB-07H
TRANSPO		IBR314

BHP11411



FEATURES

Diodes: 6-35 Ampere
Diameter OD: 114mm
With Trio

For use on : Audi, VW Diesel

BHP11411HD

Diodes: 6-50 Ampere

Original & X-References..

BOSCH		
	1 127 011 116	1 127 320 506
	1 127 320 614	1 127 320 648
WAI		31-9108
CARGO		131559
MOBILETRON		RB-03HA
TRANSPO		IBR302

BHP11412



FEATURES

Diodes: 6-35 Ampere
Diameter OD: 114mm
With M6×52.5mm Battery Post
With Trio
For use on: Volvo Diesel

BHP11412HD

Diodes: 6-50 Ampere

BHP11431

Diodes: 6-35 Ampere
With M8×52.5mm Battery Post

Original & X-References..

BOSCH		1 127 011 131
WAI		31-9116
CARGO		134341
MOBILETR		RB-16H
TRANSPO		IBR301

BHP11413



FEATURES

Diodes: 6-35 Ampere
Diameter OD: 114mm
With M6×52.5mm Battery Post
With Trio

BHP11413HD

Diodes: 6-50 Ampere

BHP11413A

Diodes: 6-35A Avalanche

Original & X-References..

BOSCH		
	1 127 011 138	1 127 320 501
	1 127 320 511	1 127 320 620
WAI		31-9101
CARGO		130602
MOBILETRON		RB-02H
TRANSPO		IBR304



Φ114mm

BHP11414

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	
Diameter OD: 114mm	1 127 320 601	1 127 320 661
With M8×52.5mm Battery Post	1 127 320 662	1 127 320 691
With M5×47.2mm Trio Post	CARGO	132668
With Trio		230361
For use on : Audi Saab Scania, VW	MOBILETRON	RB-05H
BHP11414HD	TRANSPO	IBR316
Diodes: 6-50 Ampere		



Φ114mm

BHP11415

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	
Diameter OD: 114mm	1 127 011 139	1 127 320 372
With M5×47.2mm W-Post	1 127 320 580	1 127 320 652
With Trio	CARGO	132669
For use on : Ford Cortina, Granada, Scorpio + Cargo Van	MOBILETRON	RB-06HA
BHP11415HD	TRANSPO	IBR317
Diodes: 6-50 Ampere		



Φ114mm

BHP11416

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	9 121 147 302
Diameter OD: 114mm	CARGO	133997
With M6×52.5mm Battery Post	MOBILETRON	RB-17H
With M5×47.2mm Trio Post	TRANSPO	IBR320
With M5×47.2mm W-Post		
With Trio		
For use on: Various		
BHP11416HD		
Diodes: 6-50 Ampere		
BHP11416A		
Diodes: 6-35 Avalanche		



Φ114mm

BHP11417

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 651
Diameter OD: 114mm		1 127 320 677
With (M8+M6) ×54.6 Battery Post	CARGO	133996
With M5×47.2mm Trio Post	MOBILETRON	RB-19H
With Trio	TRANSPO	IBR321
BHP11417HD		
Diodes: 6-50 Ampere		



Φ114mm

BHP11418

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 914
Diameter OD: 114mm	GM	90 350 009
With (M8+M6) ×54.6mm Battery Post	CARGO	133998
With M5×47.2mm Trio Post	MOBILETRON	RB-18H
With Trio	TRANSPO	IBR322
BHP11418HD		
Diodes: 6-50 Ampere		



BHP11419

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 667
Diameter OD: 114mm	FORD	6156187
With M6×52.5mm Battery Post		86AB10304AA
With M4×42mm Trio Post	CARGO	135890
With M5×47.2mm W-Post	MOBILETRON	RB-38H
With Trio	TRANSPO	IBR667
BHP11419HD	6-50 Ampere	



BHP11420

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 903
Diameter OD: 114mm	CARGO	137726
With Trio	MOBILETRON	RB-86H
	TRANSPO	IBR903

For use on : 1988-91 Ford Sierra 1.8L

BHP11420HD

Diodes: 6-50 Ampere



BHP11421

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 664
Diameter OD: 114mm		1 127 320 665
With M8×52.5mm Battery Post		1 127 320 666
With M5×47.2mm Trio Post		
With Trio	WAI	31-9114
For use on: Audi, VW Diesel	CARGO	132667
BHP11421HD	MOBILETRON	RB-04H
Diodes: 6-50 Ampere	TRANSPO	IBR311
BHP11421A	Diodes: 6-35 A Avalanche	



BHP11422

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 668
Diameter OD: 114mm	WAI	31-9145
With M6×52.5mm Battery Post	CARGO	133994
With M4×42mm Trio Post	MOBILETRON	RB-15H
With Trio	TRANSPO	IBR319

For use on : VW

BHP11422HD

Diodes: 6-50 Ampere



BHP11424

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere		
Diameter OD: 114mm		
With M6×52.5mm Battery Post		
With Trio		
For use on : Komatsu 1982-89 Audi Quattro Turbo		

BHP11424HD

Diodes: 6-50 Ampere



BHP11425

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 8-50 Ampere
 Diameter OD: 114mm
 With (M8+M6) ×48mm Battery Post
 With Trio



BHP11426A

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-50A Avalanche
 Diameter OD: 114mm
 With M6×50mm Battery Post
 Without Trio

BOSCH	9120067027
	9121067385
TRANSPO	IBR388
BOSCH	9121067379
TRANSPO	IBR323

BHP11426

Diodes: 6-50A Ampere

BHP11426-1

Diodes: 8-50A Ampere

BHP11426-2

Diodes: 8-50A Ampere
 With M8×52mm Battery Post

BHP11426A-1

Diodes: 6-50 A Avalanche
 Without "W" Terminal /Without Trio



BHP11427


FEATURES	Original & X-References..
----------	---------------------------

Diodes: 8-50 Ampere
 Diameter OD: 114mm
 With M8×52.5mm Battery Post
 With M5×48mm Trio Post
 With Trio

BOSCH	1 127 320 692
CARGO	138165
TRANSPO	IBR324

BHP11427A

Diodes:8-50 A Avalanche



BHP11428A

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-35 A Avalanche
 Diameter OD: 114mm
 With M8×52mm Battery Post
 Without Trio

BHP11432A

Diodes:8-35 A Avalanche



BHP11429

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-35 Ampere
 Diameter OD: 114mm
 With M8×52.5mm Battery Post
 With Trio



BHP11430A

FEATURES	Original & X-References..	
Diodes: 8-35A Avalanche	BOSCH	9121067067
Diameter OD: 114mm		9121067388
With M8×52mm Battery Post		9121067364
With Trio	TRANSPO	IBR308



BHP11433A

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	BOSCH	F010LD1067 F010LD0001
Diameter OD: 114mm	WAGNER	W060-69
With M6×52.5mm Battery Post	TRANSPO	IBR276C
With Trio		



BHP11434

FEATURES	Original & X-References..	
Diodes: 8-35A Ampere		
Diameter OD: 114mm		
With M8×52.5mm Battery Post		
With M5×48mm Trio Post		
With M5×48mm W- Post		
With Trio		

BHP11434-1

Diodes: 6-35A Ampere



BHP11435

FEATURES	Original & X-References..	
Diodes: 8 - 50A Ampere	FORD	E9YJ-10304A
Diameter OD: 114mm	CARGO	136556
With M6×50mm Battery Post	MOBILETRON	MFRX00711
Without Trio		RB-81H
	TRANSPO	IBR347



BHP11436A

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche		
Diameter OD: 114mm		
With M6×62mm Battery Post		
Without Trio		

BHP11437

Diodes: 8-50A Ampere
 With M8×59.5mm Battery Post
 With M5×54mm Trio Post
 With Trio



BHP121001

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	AUDI/VW	068 903 359 A
Diameter OD: 120mm	BOSCH	1 127 320 701
With M8×52mm Battery Post	WAI	31-9138
With Trio	CARGO	134000
	MOBILETRON	RB-76H
For use on : Audi, VW	TRANSPO	IBR350



BHP121002

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	1 127 320 700
Diameter OD: 120mm		1 127 320 730
With M8×52mm Battery Post	WAI	31-9106
With Trio	CARGO	132103
	MOBILETRON	RB-51H
FOR USE ON: Audi, Fiat, Ford	TRANSPO	IBR351



BHP121004

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	1 127 320 706
Diameter OD: 120mm	CARGO	134002
With M8×52mm Battery Post	MOBILETRON	RB-53H
With M5×48mm Trio Post	TRANSPO	IBR353
With M5×48mm W-Post		
With Trio		
For use on : BMW, Ford, Merkur		



BHP121005

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	
Diameter OD: 120mm	1 127 320 705	1 127 320 710
With M8×52mm Battery Post	1 127 320 723	1 127 320 728
With M5×48mm Trio Post	1 127 320 732	1 127 320 739
With Trio	1 127 320 745	1 127 320 749
	CARGO	138082
For use on : Audi, BMW, Mercedes Benz, Opel, VW	MOBILETRON	RB-54H
	TRANSPO	IBR354



BHP121006

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	
Diameter OD: 120mm	1 127 320 708	1 127 320 731
With M8×52mm Battery Post	WAI	31-9133
With M5×48mm Trio Post	CARGO	134003
With Trio	MOBILETRON	RB-56H
Without Capacitor	TRANSPO	IBR357

BHP121015

With Capacitor



BHP121007

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	1 127 320 712
Diameter OD: 120mm		1 127 320 735
With (M8+M6) ×54.6 Battery Post	WAI	31-9132
With M5×48mm Trio Post	CARGO	139169
With Trio	MOBILETRON	RB-58H
	TRANSPO	IBR712
For use on : Volvo		



BHP121008

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	1127320716
Diameter OD: 120mm	VOLVO	3515707
With (M8+M6) ×54.6 Battery Post		
With M5×48mm Trio Post		
With Trio		
For use on : Volvo 240 ,740 ,760 ,940 Series		



BHP121009

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	1 127 320 720
Diameter OD: 120mm		1 127 320 741
With M8×52mm Battery Post		1 127 320 911
With M5×48mm Trio Post	MOBILETRON	RB-77H
With Trio	TRANSPO	IBR720
For use on : BMW 525i,735i		



BHP121010

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 713
Diameter OD: 120mm	CARGO	138620
With (M8+M6) ×54.6mm Battery Post	MOBILETRON	RB-59H
With M5×48mm Trio Post	TRANSPO	IBR713
With Trio		
For use on : Volvo 740, 760, 780, 940 Series		



BHP121011

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 702
Diameter OD: 120mm		1 127 320 709
With M8×52mm Battery Post		1 127 320 722
With M5×48mm Trio Post	WAI	31-9109
With Trio	MOBILETRON	RB-55H
	TRANSPO	IBR355
For use on : BMW, Opel, Saab		



BHP121012

FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	BOSCH	1 127 320 718
Diameter OD: 120mm		1 127 320 719
With (M8+M6) ×54.6mm Battery Post	WAI	31-9110
Without Trio		31-9146
For use on : Chrysler, Dodge, Plymouth	CARGO	138987
	MOBILETRON	RB-75H
	TRANSPO	IBR329



BHP121013

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	1 127 320 753
Diameter OD: 120mm	CARGO	231451
With M8×52mm Battery Post	TRANSPO	IBR753
With M4×48mmTrio Post		
With M5×48mmW-Post		
With Trio		

BHP121013A

Diodes: 8-35 A Avalanche

BHP121013B

Diodes: 8-35 A Avalanche

For 24V Alternators



BHP121018

FEATURES	Original & X-References..	
Diodes: 8-35A Ampere		
Diameter OD: 120mm		
With M8×52mm Battery Post		
With M4×48mmTrio Post		
With M5×48mmW-Post		
With Trio		



BHP121022

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere		
Diameter OD: 120mm		
With M8×52.5mm Battery Post		
With Trio		
With Capacitor		



BHP121028B

FEATURES	Original & X-References..	
Diodes: 8-35 A Avalanche		
Diameter OD: 120mm		
With M8×52.5mm Battery Post		
With Trio		
With 510 Ohm Resistor		
With Capacitor		
For 24V Alternator		



BHP121029

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	BOSCH	1 127 320 734
Diameter OD: 120mm	CARGO	136485
With M8×61mm Battery Post		
With M6×61mm Trio Post		
With Trio		



BHP121021

FEATURES	Original & X-References..	
Diodes: 8-35 Ampere		
Diameter OD: 120mm		
With M8×52mm Battery Post		
With M5×48mm Trio Post		
With Trio		



BHP12501

FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	BOSCH	1 127 320 590
Diameter OD: 125mm		1 127 320 977
With (M8+M6) ×54.6mm Battery Post	CARGO	134609
With M4×32.5mm Trio Post	MOBILETRON	RB-63H
With M6×52mm Ground Post	TRANSPO	IBR590
With M5 W-Post		
With Trio		
For use on: Scania		
BHP12501-1		
Diodes: 8-50 Ampere		
With black positive heat sink		



BHP12503

FEATURES	Original & X-References..	
Diodes: 14-50 Ampere		
Diameter OD: 125mm		
With 7/16" Battery Post		
With M4×32.5mm Trio Post		
With M6×52mm Ground Post		
With M5 W-Post		
With Trio		
For use on : J.I. Case Tractors		



BHP12504

FEATURES	Original & X-References..	
Diodes: 14-50 Ampere	BOSCH	1127320954
Diameter OD: 125mm		1127320920
With M10×63mm Battery Post	CARGO	136737
With M4×32.5mm Trio Post	MOBILETRON	RB-67H
With M6×52mm Ground Post	TRANSPO	IBR954
With M5 W-Post		
With Trio		
For use on : J.I. Case Tractors		
BHP12504A		
Diodes: 14-50 A Avalanche	TRANSPO	IBR954A



BHP12505B

FEATURES

Diodes: 8-35 A Avalanche
 Diameter OD: 125mm
 With 7/16" Battery Post
 With M4×32.5mm Trio Post
 With M6×52mm Ground Post
 With M5 W-Post
 With Trio
 For 24V Alternators

Original & X-References..

BOSCH	1127320957
TRANSPO	IBR957

BHP12505

Diodes:8-50 Ampere



BHP12506

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 125mm
 With M10×63mm Battery Post
 With M4×32.5mm Trio Post
 With M6×52mm Ground Post
 With M5 W-Post
 With Trio

Original & X-References..



BHP12509

FEATURES

Diodes: 14-50 Ampere
 Diameter OD: 125mm
 With M8×52mm Battery Post
 With M4×32.5mm Trio Post
 With M6×52mm Ground Post
 With M5 W-Post
 With Trio

Original & X-References..

BOSCH	1 127 320 961
WAI	31-9142
CARGO	131468
MOBILETRON	RB-62H
TRANSPO	IBR341

For use on : DAF, Mercedes, Saab scania, Volvo-White Truck



BHP12510

FEATURES

Diodes: 14-50 Ampere
 Diameter OD: 125mm
 With M8×52mm Battery Post
 With M4×32.5mm Trio Post
 With M6×52mm Ground Post
 With Trio

Original & X-References..

BOSCH	1 127 320 361
WAI	31-9115
CARGO	133530
MOBILETRON	RB-72H
TRANSPO	IBR340

For use on : Mercedes, Saab scania, Volvo Truck



BHP12511

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 125mm
 With M8×52mm Battery Post
 With M4×32.5mm Trio Post
 With M6×52mm Ground Post
 With M5 W-Post
 With Trio

Original & X-References..

BOSCH		
	1 127 320 602	1 127 320 924
	1 127 320 951	1 127 320 955
	1 127 320 980	1 127 320 981
TRANSPO		IBR955

For use on : DAF,KHD,MAN, Scania

BHP12511A 8-50 A Avalanche

BHP12511B 8-35 A Avalanche

For 24V Alternators

BOSCH	1 127 320 989
CARGO	136832
TRANSPO	IBR989



Φ125mm



Φ125mm



Φ145mm



Φ145mm



Φ145mm

BHP12517

FEATURES	Original & X-References..
Diodes: 8-50 Ampere	
Diameter OD: 125mm	
With (M8+M6) ×54.6 Battery Post	
With M4×32.5mm Trio Post	
With M6×52mm Ground Post	
With M5×25mm N-Post	
With M5 W-Post	
With Trio	

BHP12519

FEATURES	Original & X-References..
Diodes: 8-50 Ampere	BOSCH 1 127 320 517
Diameter OD: 125mm	1 127 320 603
With (M8+M6) ×54.6mm Battery Post	CARGO 231218
With M4×32.5mm Trio Post	TRANSPO IBR517
With M6×52mm Ground Post	
With Trio	

BHP14501

FEATURES	Original & X-References..
Diodes: 12-50 Ampere	BOSCH 1 127 320 550
Diameter OD: 145mm	TRANSPO IBR550
With M8×52mm Battery Post	
With M5×34.5mm Trio Post	
With M8×52mm Ground Post	
With 3-35A Diode Trio	
For use on : Bus, Industrial	
BHP14501B	TRANSPO IBR973
Diodes:12-35A Avalanche	
For 24V Alternators	

BHP14502

FEATURES	Original & X-References..
Diodes: 14-50 Ampere	BOSCH 1 127 320 547
Diameter OD: 145mm	1 127 320 571
With M8×52mm Battery Post	
With M8×52mm Ground Post	
With M5×34.5mm Trio Post	CARGO 136581
With M5×25mm "W" Post	MOBILETRON RB-78H
With 3-35A Diode Trio	TRANSPO IBR547
For use on: MAN Buses	
BHP14502B	
Diodes: 14-35 A Avalanche	
With M5×29.8mm "W" Post	
For 24V Alternators	

BHP14503

FEATURES	Original & X-References..
Diodes: 14-50 Ampere	
Diameter OD: 145mm	
With M8×52mm Battery Post	
With M8×52mm Ground Post	
With M5×34.5mm Trio Post	
With 3-35A Diode Trio	
For use on:Bus,Industrial	
BHP14503B	
Diodes: 14-35 A Avalanche	
For 24V Alternators	



BHP14507

FEATURES

Diodes: 14-50 Ampere
 Diameter OD: 145mm
 With M8×52mm Battery Post
 With M8×52mm Ground Post
 With M5×34.5mm Trio Post
 With M6 "W" Post
 With 3-35A Diode Trio
BHP14507B
 Diodes: 14-50 A Avalanche
 For 24V Alternators
 Without painting black heatsink

Original & X-References..



BHP14508A-1

FEATURES

Diodes: 6-60A Avalanche (ACTRON)
 With M8×30mm Battery Post

Original & X-References..

LESTER 13815



BHP12015 (Y)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×22mm Battery Post(R)
 For use on : Opel Astra, Corsa, Zafira,
 Ford Modeo

Original & X-References..

BOSCH
 0124415001 0124415002
 0124415005 0124415006
 0124415008 0124415009
 0124415010
 CARGO 230360
 TRANSPO IBR202



BHP12016B (Δ)

FEATURES

Diodes: 6-35A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×22mm Battery Post(R)
 For 24V Alternators

Original & X-References..

BOSCH FOOM 133224
 TRANSPO IBR224

BHP12069B (Δ)

Diodes: 6-60 A Avalanche
 For 24V Alternators



BHP12017 (Y)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M6×35mm Battery Post(L)
 With M8×22mm Battery Post(R)
BHP12027 (Y)
 Diodes: 8-50A Avalanche
BHP12048 (Y)
 Diodes: 6-50A Avalanche
 With M8×38mm Battery Post(L)
 With M8×22mm Battery Post(R)

Original & X-References..



BHP12019 (Y)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×22mm Battery Post(R)
 For use on: Porsche Boxter, 911 Opel
 Astra, Zafira

BHP12019-1 (Y)

Diodes: 8-50A Avalanche

BHP12019B (Y)

Diodes: 6-35A Avalanche
 For 24V Alternators

Original & X-References..



BHP12020 (Y)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×22mm Battery Post(L)
 With M8×32mm Battery Post(R)
 For use on : Porsche Boxter, 911 Opel
 Astra, Zafira

BHP12020B (Y)

Diodes:6-35A Avalanche
 For 24V Alternators

Original & X-References..

BOSCH	0124325051
	FOOM123226
CARGO	235546



BHP12021 (Y)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×22mm Battery Post(L)
 With M8×32mm Battery Post(R)
 For use on : Audi A4,Quattro, Passat
 1.6V,1.8, Passat Variant

BHP12024 (Y)

Diodes: 8-50A Avalanche

Original & X-References..



BHP12022 (△)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 129mm
 With M8×32mm Battery Post(L)
 With M8×22mm Battery Post(R)
 With 129 mm Negative heat sink

BHP12022 HD

Diodes: 6-60A Avalanche

Original & X-References..



BHP12023 (△)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×22mm Battery Post(L)
 With M6×35mm Battery Post(R)

Original & X-References..



BHP12025 (△)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×32mm Battery Post(R)

Original & X-References..

BHP12025B (△)

Diodes: 6-35A Avalanche
 For 24V Alternators



BHP12025-1 (△)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×22mm Battery Post(L)
 With M8×32mm Battery Post(R)

Original & X-References..

CARGO	133921
TRANSPO	IBR201

BHP12049HD (△)

Diodes: 6-60A Avalanche
 With M8×22mm Battery Post(L)
 With M6×48mm Battery Post(R)



BHP12025-2 (△)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×22mm Battery Post(R)

Original & X-References..

BOSCH	FOOM133200
TRANSPO	IBR200

BHP12047HD (△)

Diodes: 6-60A Avalanche
 With M6×35mm Battery Post(L)
 With M8×22mm Battery Post(R)



BHP12026 (△)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 129mm
 With M8×22mm Battery Post(L)
 With M8×32mm Battery Post(R)
 With 129 mm Negative heat sink

Original & X-References..

BHP12026B (△)

With M8×34.5mm Battery Post(L)
 With M8×22mm Battery Post(R)
 For 24V Alternators

BOSCH	FOOM133291
	133223

BHP12026HD (△)

Diodes: 6-60A Avalanche



BHP12030 (△)

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×22mm Battery Post(L)
 With M8×32mm Battery Post(R)

Original & X-References..

BOSCH	0 124 515 035
	0 124 515 057
CARGO	230374
TRANSPO	IBR207

BHP12030HD (△)

Diodes: 6-60A Avalanche



BHP12031 (Y)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8×22mm Battery Post(L)
With M8×32mm Battery Post(R)

BHP12067 (Y)

Diodes: 8-50A Avalanche



BHP12032 (△)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8×32mm Battery Post(L)
With M8×22mm Battery Post(R)



BHP12033 (Y)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8×22mm Battery Post(L)
With M8×34.5mm Battery Post(R)



BHP12034 (Y)

FEATURES

Original & X-References..

Diodes: 8-50A Avalanche
Diameter OD: 120mm
With M8×22mm Battery Post(L)
With M6×35mm Battery Post(R)

BHP12052 (Y)

Diodes: 6-50A Avalanche
With big insulator hole



BHP12035HD (△)

FEATURES

Original & X-References..

Diodes: 6-60Ampere
Diameter OD: 120mm
With M8×59.5mm Battery Post(L)
With M8×22mm Battery Post(R)



BHP12036B (△)

FEATURES

Original & X-References..

Diodes: 6-35A Avalanche
 Diameter OD: 120mm
 With M8×34.5mm Battery Post(L)
 With M8×22mm Battery Post(R)
 For 24V Alternators

BHP12036BHD (△)

Diodes: 6-50A Avalanche



BHP12037 (△)

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche
 Diameter OD: 129mm
 With M8×22mm Battery Post(L)
 With M8×38mm Battery Post(R)
 With 129 mm Negative heat sink

BHP12040 (△)

Diodes: 6-60A Avalanche
 With M8×22mm Battery Post(L)
 With M8×34.5mm Battery Post(R)



BHP12038B (△)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×34.5mm Battery Post(L)
 With M8×38mm Battery Post(R)
 For 24V Alternators

BHP12039B (△)

Diodes: 6-50A Avalanche
 With M8×34.5mm Battery Post(L)
 With M8×34.5mm Battery Post(R)



BHP12041 (△)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×38mm Battery Post(L)
 With M8×22mm Battery Post(R)

BHP12077 (Y)

With M8×22mm Battery Post(L)
 With M8×32mm Battery Post(R)



BHP12042 (△)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×22mm Battery Post(R)



BHP12043 (Y)

FEATURES

Original & X-References..

Diodes: 8-50A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×22mm Battery Post(R)

BHP12075 (Y)

Diodes:8-50A Avalanche
 With M8×32mm Battery Post(L)
 With M8×32mm Battery Post(R)



BHP12044HD (Δ)

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche
 Diameter OD: 129mm
 With M8×22mm Battery Post(L)
 With M8×50mm Battery Post(R)
 With 129 mm Negative heat sink

BHP12046HD (Δ)

Diodes: 6-60A Avalanche
 With M8×22mm Battery Post(L)
 With M6×51mm Battery Post(R)



BHP12045HD (Y)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 129mm
 With M6×47mm Battery Post(L)
 With M8×22mm Battery Post(R)
 With 129 mm Negative heat sink

BHP120113HD

With M8×22mm Battery Post(L)
 With M6×47mm Battery Post(R)



BHP12050HD (Δ)

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche
 Diameter OD: 120mm
 With M8×26mm Battery Post(L)
 With M8×34.5mm Battery Post(R)

BHP12065HD (Δ)

Diodes: 6-60A Avalanche
 With M8×34.5mm Battery Post(L)
 With M8×34.5mm Battery Post(R)



BHP12051HD (Δ)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 129mm
 With M8×26mm Battery Post(L)
 With M8×50mm Battery Post(R)
 With 129 mm Negative heat sink

BHP12094 (Δ)

With M8×32mm Battery Post(L)



BHP12053 (△)

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche
 Diameter OD: 129mm
 With M8×22mm Battery Post(L)
 With M8×32mm Battery Post(R)
 With 129 mm Negative heat sink



BHP12055 (Y)

FEATURES

Original & X-References..

Diodes: 8-50A Avalanche
 Diameter OD: 120mm
 With M8×32mm Battery Post(L)
 With M8×32mm Battery Post(R)

BHP12066 (Y)

Diodes:6-50A Avalanche



BHP12056 (△)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 129mm
 With M8×34.5mm Battery Post(L)
 With M8×22mm Battery Post(R)
 With 129 mm Negative heat sink

BHP12054HD 6-60A Avalanche

With M8×34.5mm Battery Post(L)
 With M8×34.5mm Battery Post(R)



BHP12057 (△)

FEATURES

Original & X-References..

Diodes: 6-50Ampere
 Diameter OD: 120mm
 With M8×26mm Battery Post(L)
 With M8×22mm Battery Post(R)



BHP12058 (Y)

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 120mm
 With M8×26mm Battery Post(L)
 With M8×34.5mm Battery Post(R)

BHP12059

Diodes: 8-50A Avalanche



Φ120mm

BHP12062 (Y)

FEATURES	Original & X-References..
Diodes: 6-60A Avalanche	
Diameter OD: 120mm	
With M8×32mm Battery Post(L)	
With M8×32mm Battery Post(R)	

BHP12060B

Diodes:8-35A Avalanche
For 24V Alternators



Φ120mm

BHP12063 (Y)

FEATURES	Original & X-References..
Diodes: 8-50A Avalanche	
Diameter OD: 120mm	
With M8×22mm Battery Post(L)	
With M8×38mm Battery Post(R)	

BHP120103

With M8×26mm Battery Post(L)
With M8×22mm Battery Post(R)



Φ129mm

BHP12064HD (△)

FEATURES	Original & X-References..
Diodes: 6-60A Avalanche	BOSCH FOOM 133279
Diameter OD: 129mm	TRANSPO IBR279
With M6×47mm Battery Post(L)	
With M8×47mm Battery Post(R)	
With 129 mm negative heat sink	FIT REGULATOR: IB260
BHP12064B (△)	FIT COVER C-006
Diodes: 6-50A Avalanche	
For 24V Alternators	



Φ120mm

BHP12070 (Y)

FEATURES	Original & X-References..
Diodes: 6-60A Avalanche	BOSCH FOOM 123227
Diameter OD: 120mm	FOOM 123244
With M8×22mm Battery Post(L)	FOOM 123201
With M8×32mm Battery Post(R)	TRANSPO IBR244



Φ129mm

BHP12071 (△)

FEATURES	Original & X-References..
Diodes: 6-60A Avalanche(ACTRON)	
Diameter OD: 129mm	
With M8×22mm Battery Post(L)	
With M8×34.5mm Battery Post(R)	
With 129 mm Negative heat sink	
BHP12076HD (△)	
Diodes: 6-60A Avalanche	
With M8×26mm Battery Post(L)	
With M8×26mm Battery Post(R)	
BHP120112 (△)	
With M8×34.5mm Battery Post(L)	
With M8×22mm Battery Post(R)	



Φ129mm

BHP12072 (△)

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	BOSCH	FOOM 133265
Diameter OD: 129mm		
With M8×26mm Battery Post(L)		
With M8×34.5mm Battery Post(R)		
With 129 mm Negative heat sink		



Φ129mm

BHP12073 (△)

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	BOSCH	FOOM 123215
Diameter OD: 129mm		FOOM 133218
With M8×22mm Battery Post(L)		FOOM 133247
With M8×32mm Battery Post(R)		
With 129 mm Negative heat sink		
BHP12073HD (△)		
Diodes: 6-60A Avalanche	TRANSPO	IBR215



Φ129mm

BHP12074 (△)

FEATURES	Original & X-References..	
Diodes: 6-60A Avalanche		
Diameter OD: 129mm		
With M8×28.5mm Battery Post(L)		
With M8×26mm Battery Post(R)		
With 129 mm Negative heat sink		



Φ120mm

BHP12095 (Y)

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche		
Diameter OD: 120mm		
With M8×26mm Battery Post(L)		
With M8×26mm Battery Post(R)		



Φ129mm

BHP12096HD (△)

FEATURES	Original & X-References..	
Diodes: 6-60A Avalanche(ACTRON)		
Diameter OD: 129mm		
With M8×34.5mm Battery Post(L)		
With M8×34.5mm Battery Post(R)		
With 129 mm Negative heat sink		

BHP12097HD (△)**FEATURES****Original & X-References..**

Diodes: 6-60A Avalanche
Diameter OD: 129mm
With M8×34.5mm Battery Post(L)
With M8×22mm Battery Post(R)
With 129 mm Negative heat sink

BHP12099 (Y)**FEATURES****Original & X-References..**

Diodes : 8-50A Avalanche
Diameter OD:120mm
With M8×22mm Battery Post (L)
With M8×34.5mm Battery Post (R)

BHP120100 (Y)**FEATURES****Original & X-References..**

Diodes : 6-50A Avalanche
Diameter OD:120mm
With M8×32mm Battery Post (L)
With M8×22mm Battery Post (R)

BHP120101B (△)**FEATURES****Original & X-References..**

Diodes : 6-50A Avalanche
Diameter OD:120mm
With M8×26mm Battery Post (L)
With M8×26mm Battery Post (R)
For 24V Alternators

BHP120105B (△)

With M8×32mm Battery Post (L)
With M8×32mm Battery Post (R)

BHP120115B (△)**FEATURES****Original & X-References..**

Diodes : 8-35A Avalanche
Diameter OD:120mm
With M8×38mm Battery Post (L)
With M8×38mm Battery Post (R)
For 24V Alternators

Customer provide bracket



BHP120104HD

FEATURES

Original & X-References..

Diodes : 6-60Avalanche
 With M8×40mm Battery Post
 With M6×32.5mm Ground Post
 With M5 W-Post
 With Trio
 With Capacitor



BHP12801

FEATURES

Original & X-References..

Diodes: 6-50A Avalanche
 Diameter OD: 145mm
 With M8×32mm Battery Post
 With "W" Terminal

BOSCH F00M314001
 0121615003

Customer provide Negative heat sink



BHP12804

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche (ACTRON)
 With M8×15.5mm Battery Post

Customer provide Negative heat sink



BHP12805

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche (ACTRON)
 With M8×32mm Battery Post

Customer provide Negative heat sink



BHP12806

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche (ACTRON)
 With M8×15.5mm Battery Post

Customer provide Negative heat sink



BHP12807

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-60A Avalanche With M8×15.5mm Battery Post	
--	--

Customer provide Negative heat sink



BHP12811

FEATURES	Original & X-References..
----------	---------------------------

Diodes:6-80A Avalanche With M8×32mm Battery Post	
---	--

Customer provide Negative heat sink



DC5164

FEATURES

Diodes: 6-35A Avalanche Press-Fit
With Aluminum Heat sinks

For: CS121,CS130 Alternators

DC5163

Diodes: 6-50A Avalanche Press-Fit

Original & X-References..

DELCO	10457236	10472597
	10470730	10457690
	1989658	
WAI	31-113-1	31-136
CARGO		131880
TRANSPO		DR4000HD



DC5164D

FEATURES

Diodes: 6-35A Avalanche Press-Fit
With M8×46mm Battery Post
With Aluminum Heat sinks

For use on: GM-Vehicles

DC5163D

Diodes: 6-50A Avalanche Press-Fit

Original & X-References..

DELCO	10475758
	10492837
	1047578
WAI	31-120
	31-133
	31-133-1
TRANSPO	DR4200HD



DC5164-2D

FEATURES

Diodes: 6-35A Avalanche Press-Fit
With M8×48mm Battery Post
With Aluminum Heat sinks

Original & X-References..

DC5302

FEATURES

Diodes: 6-35A Avalanche Press-Fit
With Aluminum Heat sinks

For: CS121,CS130 Alternators

DC5301

Diodes: 6-50A Avalanche Press-Fit

Original & X-References..

DELCO	10457236	10472597
	10470730	10457690
	1989658	
WAI	31-113-1	31-136
CARGO		131880
TRANSPO		DR4000HD



DC5302D

FEATURES

Diodes: 6-35A Avalanche Press-Fit
With M8×46mm Battery Post
With Aluminum Heat sinks

For use on: GM-Vehicles

DC5301D

Diodes: 6-50A Avalanche Press-Fit

Original & X-References..

DELCO	10475758
	10492837
	1047578
WAI	31-120
	31-133
	31-133-1
TRANSPO	DR4200HD





DC5263D

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	DELCO	10480228
With (M8+M6)×46mm Battery Post	TRANSPO	DR4220

For use on: Acura CL 3.0L Honda Accord 3.0L



DCE5170

FEATURES	Original & X-References..	
Diodes: 6-35A Avalanche	DELCO	10475034
With M8×47.3mm Battery post installed		1205464
With Aluminum Heat sinks		589714
With Trio		
For use on: Opel Corsa, Omega, Vectra, Astra, Fontera, Tigra	WAI	31-131
	CARGO	136595

DCE5173	MOBILETRON	RD-04B
Diodes: 6-50A Avalanche	TRANSPO	DER2000
DCE5171		DER2000V
Diodes: 6-50A Avalanche		
With Copper Negative Heat sink		



DCE5177

FEATURES	Original & X-References..		
Diodes: 6-50A Avalanche	DELCO	10493596	3472020
With M8×46mm Battery Post Installed		3472820	3478687
With Aluminum Heat sinks	CARGO	231797	
For use on: Opel Corsa, Omega, Vectra, Astra, Fontera, Tigra	TRANSPO	DER2010	

DCE5175

Diodes: 6-50A Avalanche
With Copper Negative Heat sink



DCE5179

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	DELCO	10475034
With M8×46mm Battery Post Installed		1205464
With Aluminum Heat sinks		589714
With Trio		
	WAI	31-131
	CARGO	136595

DCE5178	MOBILETRON	RD-04B
Diodes: 6-50A Avalanche	TRANSPO	DER2000
With Copper Negative Heat sink		DER2000V



DC5300

FEATURES	Original & X-References..	
Diodes: 6-50A Avalanche	DELCO	10492300
	WAI	31-123
For use on: WAI 1998-2000 Saturn 31-213 SC1,SL Sedan,SWWagon 1.9L	CARGO	232070
	MOBILETRON	RD-25A
	TRANSPO	DR1200



DC5304

FEATURES

Diodes: 6-50A Avalanche
With Trio

Original & X-References..



DC5180

FEATURES

Diodes: 3-50A Avalanche
3-50A Jumbo Button
With Late Saw-Fin Design

For use on: GM P Series Step-up Van,
Chevy Corvette, Buick Regal, Cadillac,
Chevy Blazer, CK-Series Trucks, GMC
Suburban

Original & X-References..

DELCO	10467052
	D3990
	1989774
WAI	31-115
CARGO	131881
TRANSPO	DR5176



DC5181

FEATURES

Diodes: 6-50A Avalanche Button
With Late Saw-Fin Design

For use on: GM Truck B6 Series,
B7 Series, P6 Series, Kodiak

Original & X-References..

DELCO	10470609
	D3992
WAI	31-116
CARGO	231062
MOBILETRON	RD-06A
TRANSPO	DR5177

DC5181B

Diodes: 6-50A Avalanche
For 24V Alternators



DC5181P

FEATURES

|
|
|
|
|
|
|
|



Original & X-References..

DELCO	10470609
	D3992
WAI	31-116
CARGO	231062
MOBILETRON	RD-06A
TRANSPO	DR5177PF

For 24V Alternators



DC5281P

FEATURES

Diodes: 6-60A Avalanche press fit
diodes

Original & X-References..

DELCO	35SI
	2371,10512371
TRANSPO	DR5186



DC5182

FEATURES Original & X-References..

Diodes: 6-50A Jumbo Avalanche Button With Recessed Mounting Hole For 140A Alternators For use on: Buick Riveria, Roadmaster, Olds Toronado, Chevy Truck, Cadillac Commercial, Fleetwood Brougham, Chevy Camaro, Impala, Lumina, Pontiac, Firebird	DELCO WAI CARGO MOBILETRON TRANSPO	10475800 31-118 232068 RD-07 DR5178
--	--	---



DC5183

FEATURES Original & X-References..

Diodes: 6-50A Jumbo Avalanche Button For 124-140A Alternators See DC5182 for Recessed Mtg.Hole For use on: Cadillac Deville, Eldorado, Seville	DELCO WAI CARGO MOBILETRON TRANSPO	10472095 31-117 232069 RD-08 DR5179
--	--	---



DC5184

FEATURES Original & X-References..

Diodes: 6-25 Ampere Button For use on: GM Passenger Car, Heavy Truck DC5184-1 Diodes: 6-35 Ampere Button DC5184HD Diodes: 6-50 Ampere Button DC5085 Diodes: 6-50 Ampere Button NOTE: Positive Ground Version of DC5184HD	DELCO WAI CARGO MOBILETRON TRANSPO TRANSPO	1875645 31-109 130555 RD-17 DR5080	1892914 31-109-1 130555 RD-17H DR5082
--	---	--	---



DC5185

FEATURES Original & X-References..

Diodes: 6-25 Ampere Button For use on: GM Vehicles DC5185HD Diodes: 6-50 Ampere Button DC5185-1 Diodes: 6-25 Ampere Button NOTE: Positive Ground Version of DC5185	DELCO WAI MOBILETRON TRANSPO TRANSPO	1852209 1891055 31-101 DR5040 DR5045	1875627 1984638 31-101-3 RD-09 DR5042
--	--	--	---



DC5187

FEATURES Original & X-References..

Diodes: 6-50 Ampere Button For use on: Navistar, Cummings Engine, Detroit Diesel Engine, Ford Truck B, F Series, Mack, Volvo	DELCO WAI CARGO MOBILETRON TRANSPO	1988976 D3987 31-106 131877 RD-05 DR5173
---	--	---



DC5187P

FEATURES	Original & X-References..	
Diodes: 6-50Ampere press fit diodes	DELCO	1988976 D3987
	WAI	31-106
	CARGO	131877
	MOBILETRON	RD-05
	TRANSP0	DR5173PF



DC5070

FEATURES	Original & X-References..	
Diodes: 6-25 Ampere Button	DELCO	1975313 1985313 D3919 D3913
For use on: GM Vehicles	WAI	31-104
	CARGO	131875
	MOBILETRON	RD-14
	TRANSP0	DR5070



DC5072

FEATURES	Original & X-References..	
Diodes: 6-50 Ampere Button	DELCO	1975313 1985313 D3919 D3913
For use on: GM Vehicles	WAI	31-104-1
	MOBILETRON	RD-14
	TRANSP0	DR5072

DC5075

Diodes: 6-50 Ampere Button	TRANSP0	DR5075
NOTE: Positive Ground Version of DC5072		



DC5170

FEATURES	Original & X-References..	
Diodes: 6-25 Ampere Button	DELCO	1985801
For 17SI 97-108A Alternators		D3985
For use on: GM Vehicles, Cadillac	TRANSP0	DR5170

DC5172

Diodes: 6-50 Ampere Button



DC5190

FEATURES	Original & X-References..	
Diodes: 6-25 Ampere Button	DELCO	1984454
For 56-78A Alternators		D3924
For use on: GM Vehicles, Agricultural, Industrial	WAI	31-102
	CARGO	131873
	MOBILETRON	RD-12
	TRANSP0	DR5050

DC5191

Diodes: 6-50 Ampere Button	TRANSP0	DR5052
----------------------------	---------	--------



DC5192

FEATURES

Diodes: 6-50 Ampere Button
With Bi-Directional Heatsinks

For use on: GM Vehicles, Jeep

Original & X-References..

DELCO	1987061
	D3986
WAI	31-103
CARGO	131874
MOBILETRON	RD-13HV
TRANSPO	DR5054

DC5193

Diodes: 6-70 Ampere Button

TRANSPO DR5056



DCE1003

FEATURES

Diodes: 6-25 Ampere Button

For use on: Opel ,Vauxhall

Original & X-References..

WAI	31-130-1
	31-130
CARGO	131458
TRANSPO	DER1003

DCE1004

Diodes: 6-35 Ampere Button

WAI	31-129
CARGO	132931
TRANSPO	DER1004

DC1101

FEATURES

Diodes: 6-35A Avalanche
With M8×47.5mm Battery Post
Without Trio

For 7SI Alternators

DC1105

Diodes: 6-35A Avalanche
With M6×22.5mm Battery Post
Without Trio



Original & X-References..

DC1102

FEATURES

Diodes: 6-35A Avalanche
With M8×47.5mm Battery Post
With Trio

For 7SI Alternators

Original & X-References..



DC1103

FEATURES

Diodes: 6-35A Avalanche
With M8×47.5mm Battery Post
With M6×22.5mm Battery Post
With Trio

For 11SI Alternators

Original & X-References..

TRANSPO	DR2206
---------	--------





DC4100

FEATURES

Diodes: 6-35A Avalanche
 With M8 Battery Post
 With Trio
 For use on:1999-00 Daewoo
 Leganza2.2L w/Delphi

Original & X-References..

DELCO	96206871
CARGO	234307
TRANSPO	DR6871



DC4108

FEATURES

Diodes: 6-60A Avalanche
 With M8 Battery Post
 With Trio

Original & X-References..



DC9410

FEATURES

Diodes: 6-50A Avalanche
 With M6x38mm Battery Post
 With Trio

Original & X-References..

DELCO	19020601
	19020612
TRANSPO	DR9410

For use on:2000-UP Mercury w/GM V8



DC9411

FEATURES

Diodes: 6-50A Avalanche
 With M6x38mm Battery Post
 With Trio
 With P-Terminal
 For use on: Crusader Marine , Hyster ,
 Indmar Marine , Mercury Marine

Original & X-References..

TRANSPO	DR9411
---------	--------



DC1670 (Positive)

FEATURES

Diodes: 3-35 Ampere
 For use on: Heavy Duty Truck,
 Industrial

Original & X-References..

WAI	31-108
CARGO	131879
TRANSPO	DR1670



DC1867 (Negative)

FEATURES

Diodes: 3-35 Ampere

For use on: Heavy Duty Truck,
Industrial

Original & X-References..

WAI	31-107
CARGO	131876
TRANSP0	DR1867



DC6100

FEATURES

Diodes: 6-50A Avalanche
With M6×53.5mm Battery Post
For use on: Chevrolet, GMC

Original & X-References..

WAI	31-135
MOBILETRON	RD-26
TRANSP0	DR4400

DC6100HD

Diodes: 6-60A Avalanche

DC6101

Diodes: 6-35AAvalanche

DC6102

Diodes: 6-50A Avalanche
With M8×53.5mm Battery Post 31-134

TRANSP0	DR4400HD-1
---------	------------



DC6103

FEATURES

Diodes: 6-50A Avalanche
With M6×53mm Battery Post

Original & X-References..

DELCO	10494503
-------	----------

DC6103HD

Diodes: 6-60A Avalanche



DC6104

FEATURES

Diodes: 6-50A Avalanche
With 5/16" ×45mm Battery Post

Original & X-References..

DELCO	10502870
REC	DR24SI
TRANSP0	DR2400

DC6104B

FOR 24V ALTERNATOR

TRANSP0	DR2402
---------	--------



DC6106

FEATURES

Diodes: 12-50A Avalanche
With M8×52.5mm Battery Post

For Mercedes Water Cooling Alternator

Original & X-References..

ALTERNATOR NO:

MERCEDES	001500850
DELPHI	10480403
CARGO	CA 1677IR



DC6109A

FEATURES	Original & X-References..
Diodes: 6-60A Avalanche With M6×46.5 Battery Post	TRANSPO DR3580



FD1001

FEATURES

Diodes: 6-25 Ampere Button
 For 40-65A Alternators
 Aluminum Heat Sinks with Cooling
 Slots Fine Thread Studs
 Unique Copper Insert Design

For use on :Ford, Mercury, Light Trucks

Original & X-References..

FORD	D6AZ10304A
	GY-1327
	D9VY-10304-A
WAI	31-200-12
CARGO	131421
MOBILETRON	RF-08H
TRANSPO	FR1070



FD1002

FEATURES

Diodes: 6-35 Ampere Press-Fit
 For 40-65A Alternators
 Aluminum Heat Sinks
 Fine Thread Studs

For use on: Ford, Mercury, Light Truck

Original & X-References..

FORD	GY-1327
	GY-1306A
	D6AZ10304A
WAI	31-200-12
CARGO	131421
MOBILETRON	RF-08H
TRANSPO	FR1040

FD1002HD

Diodes: 6-50Ampere

TRANSPO	FR1046
---------	--------



FD1004

FEATURES

Diodes: 6-25 Ampere Button
 For 40-65A Alternators
 Aluminum Heat Sinks with Cooling
 Slots Fine Thread Studs
 High Temp Circuit Board
 For use on :Ford, Mercury, Light Trucks

Original & X-References..

FORD	GY1306A
WAI	31-200
	31-200-4
MOBILETRON	RF-07H
CARGO	130517
TRANSPO	FR1080

FD1004HD

Diodes: 6-50Ampere

TRANSPO	FR1085
---------	--------



FD1005

FEATURES

Diodes: 6-35 Ampere Press-Fit
 For 70-100A Alternators
 Aluminum Heat Sinks
 OE-Type High Temp Circuit Board
 For use on: For Passenger Car, Light Truck

TRANSPO FR1085

Original & X-References..

FORD	GY-1026
	D2OZ10304A
WAI	31-201
	31-202
CARGO	131422
MOBILETRON	RF-09H
TRANSPO	FR1270

FD1005HD

Diodes: 6-50Ampere



FD1007

FEATURES

Diodes: 6-50 Ampere Press-Fit
 For 70-100A Alternators
 Copper Heat Sinks
 OE-Type High Temp Circuit Board
 For use on: Ford Passenger Car, Light Truck

Original & X-References..

FORD	E9DZ10304A	GY-1345-A
	F0HZ-10304A	GY-1302-B
WAI		31-202
CARGO		131430
MOBILETRON		RF-16HV
TRANSPO		FR1290

FD2001



FEATURES	Original & X-References..	
Diodes: 6-35 Ampere	FORD	E6DZ10304
Nickel Plated Brass Terminals		E6DZ10304A
Hi-Temp BBS Receptacle	WAI	31-206 31-203-3
Thermally Conductive Encapsulation	CARGO	131882 137048
For 40-65A Application	MOBILETRON	RF-02
For use on: Ford, Mercury, Light Truck	TRANSPO	FR192PF
FD2001HD	WAI	31-206-1 31-206-2
Diodes: 6-50Ampere	TRANSPO	FR192PXD

FD2004



FEATURES	Original & X-References..	
Diodes : 6-50A Ampere	TRANSPO	FR192BBS
Crimp-weld diode terminations		
For 40-80A Application		
For use on: Ford, Mercury, Light Truck		

FD3001DW



FEATURES	Original & X-References..	
Diodes: 8-35 Ampere	FORD	F5A2-10304BA
Diameter OD: 133mm	WAI	31-207-1
Drop-down Stator Terminals	CARGO	136209
	TRANSPO	FR2013
For use on: Ford Passenger Car, Light Truck		

FD3002DW



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	WAI	31-208
Diameter OD: 146mm		31-208-1
Drop-down Stator Terminals	CARGO	136210
	MOBILETRON	RF-053
For use on: Ford Passenger Car, Light Truck	TRANSPO	FR2023

FD4001DW



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	SAS COMPONENTS	10210
Diameter OD: 133mm	FORD	F6LU-10300CA
OE-Style Leadframe	F5OZ-10300FA	F6OU-10300AA
For 130A Applications	F6ZU-10300BB	F6DU-10300BB
	WAI	31-210
For use on: Ford Lincoln, Mercury	CARGO	139668
	MOBILETRON	RF-06
	TRANSPO	FR3003



FD6000DW

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 136mm
 Drop-down Stator Terminals

For use on: 1998-2004 Ford Series,
 Excursion, F series Dickup, Focus,
 Mustang, Windstar.

Original & X-References..

FORD	F8 WV10A 366 AAZP
WAI	31-213
CARGO	230842
TRANSPO	FR6003



FD6001DW

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 136mm
 Drop-down Stator Terminals

For use on: 1998-2003 Ford Contor,
 Focus, Mercury, Cougar, Mystique 2.0L

Original & X-References..

WAI	31-216
CARGO	233208
MOBILETRON	RF-113
TRANSPO	FR6013



FD6002DW

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 149mm
 Drop-down Stator Terminals For
 Lmproved Stator-Wire Attachment
 For use on: 1998-2003 Ford, Lincoln,
 Mercury.

Original & X-References..

FORD	F8AU-10A366AIP
WAI	31-212-1 31-212
MOBILETRON	RF-12
CARGO	230870
TRANSPO	FR6023



FD6011DW

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 136mm
 Drop-down Stator Terminals For
 Lmproved Stator-Wire Attachment

Original & X-References..

WAI	31-218-1 31-217
CARGO	233207
MOBILETRON	RF-133
TRANSPO	FR6073



FD6012DW

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 136mm
 Drop-down Stator Terminals For
 Lmproved Stator-Wire Attachment

Original & X-References..

FORD	1L8Z-10346AB
WAI	31-219-1
CARGO	232210
MOBILETRON	RF-153
TRANSPO	FR6083

For use on:
 2001-2003 Ford Escape 2.0L
 2001-2003 Mazda Tribute 2.0L



FD61001A

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	MOBLETRON	RF-18HV
Diameter OD: 114mm	CARGO	235019
With M6×16.4mm Battery Post	TRANSPO	FR6102



FD61002A

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	FORD INDIA	
Diameter OD: 114mm	MOBILETRON	RF-19H
With M6×39mm Battery Post	VALEO	3N2110300BB
	TRANSPO	FR6100



FD61003A

FEATURES	Original & X-References..	
Diodes:8-50A Avalanche	TRANSPO	FR6104
Diameter OD:105mm		
With M6×39mm Battery Post		

For Ford/Visteon RC28 European 104A alternator

Used On: Ford Fiesta, Ka(Europe)



FD61004A

FEATURES	Original & X-References..	
Diodes:8-50A Avalanche	TRANSPO	FR6106
Diameter OD:105mm		
With M6×16.4mm Battery Post		

For Ford/Visteon RC28 European 110A alternator

Used On: Ford Fiesta



HI10001F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 100mm
 With M5×31mm Mounting Bolt
 With Trio

HI10001Fg

Diodes: 6-35Ampere Dish
 For use on: Nissan

Original & X-References..

HITACHI	L135-6320
WAI	31-8147
CARGO	135466
MOBILETRON	RH-19
TRANSPO	IHR733



HI10002F

FEATURES

Diodes: 6-35 Ampere Dish
 Diameter OD: 100mm
 With M5×43mm Battery Post
 With M5×31mm Mounting Bolt
 With Trio

HI10002Fg

Diodes: 6-35Ampere Dish
 For use on: Industrial, Yanmar

Original & X-References..

HITACHI	L135-3320
	L135-332000
WAI	31-8135
CARGO	132406
MOBILETRON	RH-20
TRANSPO	IHR734



HI10003F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 100mm
 With M5×31mm Mounting Bolt

HI10003Fg

Diodes: 6-35Ampere Dish

Original & X-References..

HITACHI	L140-23201
CARGO	132410
MOBILETRON	RH-16
TRANSPO	IHR727

For use on: Isuzu Diesel, Mazda Diesel



HI10004F

FEATURES

Diodes: 6-35 Ampere Dish
 Diameter OD: 100mm
 With M5×31mm Mounting Bolt
 With Trio

HI10004Fg

Diodes: 6-35Ampere Dish
 For use on: Chevy Luv Diesel, Isuzu Pickup Diesel

Original & X-References..

HITACHI	L140-53201
WAI	31-8119
CARGO	135757
MOBILETRON	RH-17
TRANSPO	IHR728



HI10005F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 100mm
 With M5×31mm Mounting Bol

HI10005Fg

Diodes: 6-35Ampere Dish
 t

Original & X-References..



HI11101F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×31mm Mounting Bolt
 With Trio

HI11101Fg

Diodes: 6-35Ampere Dish

HI11101

Diodes: 6-35Ampere
 With Aluminum Heat sinks

Original & X-References..

HITACHI	L150-13204
WAI	31-8106
CARGO	131599
MOBILETRON	RH-02
TRANSPO	IHR604



HI11102F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×43mm Battery Post
 With M5×31mm Mounting Bolt
 With Trio

HI11102Fg

Diodes: 6-35Ampere Dish

Original & X-References..

HITACHI	L150-13206
WAI	31-8107
CARGO	131600
MOBILETRON	RH-03
TRANSPO	IHR710
	IHR709
	IHR710HD



HI11103F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×31mm Mounting Bolt

HI11103Fg

Diodes: 6-35Ampere Dish

Original & X-References..

HITACHI	L150-13205
WAI	31-8140
CARGO	131602
MOBILETRON	RH-06
TRANSPO	IHR711

For use on: Industrial



HI11104F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×31mm Mounting Bolt
 With Trio

HI11104Fg

Diodes: 6-35Ampere Dish

Original & X-References..

For use on: Nissan Pick-up



HI11105F

FEATURES

Diodes: 6-35 Ampere Dish
 Diameter OD: 111mm
 With M5×43mm Battery Post
 With M5×31mm Mounting Bolt

HI11105Fg

Diodes: 6-35Ampere Dish

For use on: Subaru

Original & X-References..

HITACHI	L150-13202
WAI	31-8139
CARGO	132051
MOBILETRON	RH-09
TRANSPO	IHR715



HI11106F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×31mm Mounting Bolt
 With Trio

HI11106Fg

Diodes: 6-35Ampere Dish

HI111106

Diodes: 6-35 Ampere
 With Aluminum Heat sinks

Original & X-References..

HITACHI	
L140-13202	L140-53202
L150-83201	L150-83202
WAI	31-8113
CARGO	131603
MOBILETRON	RH-04
TRANSPO	IHR723
	IHR723HD



HI11107F

FEATURES

Diodes: 6-35 Ampere Dish
 Diameter OD: 111mm
 With M5×39mm Mounting Bolt
 With Trio

HI11107Fg

Diodes: 6-35Ampere Dish

Original & X-References..

HI11108F

FEATURES

Diodes: 6-35 Ampere dish
 Diameter OD: 111mm
 With M5×39mm Mounting Bolt
 With M5×31mm Mounting Bolt
 With Aluminum Heat sinks

HI11108Fg

Diodes: 6-35Ampere Dish
 For use on: IHC, Nissan Diesel, Isuzu Diesel

Original & X-References..

HITACHI	L150-M13201
	L150-M13202
	L155-M13202
WAI	31-8111
CARGO	131601
TRANSPO	IHR712
	IHR712HD



HI11116

FEATURES

Diodes: 6-35 Ampere Press Fit Diode
 Diameter OD: 111mm
 With M5×33.5mm Mounting Bolt
 With Trio
 With Aluminum Heat sinks

Original & X-References..

HITACHI	
L140-13202	L140-53202
L150-83201	L150-83202
WAI	31-8113
CARGO	131603
MOBILETRON	RH-04
TRANSPO	IHR723
	IHR723HD



HI11124F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×43mm Mounting Post
 With M5×23mm Mounting Bolt
 With Trio

Original & X-References..





HI11127F

FEATURES

Diodes: 6-35 Ampere dish
 Diameter OD: 111mm
 With M5×43mm Battery Bolt
 With M5×31mm Mounting Bolt
 With Trio

HI11127Fg

Diodes: 6-35Ampere Dish

Original & X-References..



HI11128F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×43mm Battery Bolt
 With M5×31mm Mounting Bolt

Original & X-References..



HI11129F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 111mm
 With M5×39mm Mounting Bolt
 With Trio

Original & X-References..



HI11130Fg

FEATURES

Diodes: 6-35 Ampere dish
 Diameter OD: 111mm
 With M6×35.2mm Battery Post
 With M5×31mm Mounting Bolt
 With M5×43mm Battery Bolt
 With Trio

HI11139Fg

Diodes:6-35Ampere dish
 With M5×38mm Battery Bolt

Original & X-References..



HI11801F

FEATURES

Diodes: 6-35Ampere
 Diameter OD: 118mm
 With M5×43mm Battery Post
 With M5×31mm Mounting Bolt
 With Trio
 For use on: Nissan, Subaru DL/GL/RX
 Hatchback, Sedan & Wagon, Subaru
 Loyale

Original & X-References..

HITACHI	L150-13203
	L150-13230
	L160-3320
WAI	31-8105
CARGO	131598
MOBILETRON	RH-01
TRANSPO	IHR603
	IHR603HD



HI11802F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 118mm
 With M5×31mm Mounting Bolt
 With Trio
 For use on: Isuzu & Nissan Diesel
 Applications, Maxima Diesel
 With Aluminum Heat sinks

Original & X-References..

HITACHI	L160-23201
WAI	31-8112
CARGO	132053
MOBILETRON	RH-14
TRANSPO	IHR607
	IHR607HD



HI11803F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 118mm
 With M5×31mm Mounting Bolt
 With Trio
 For use on: Nissan with 70 Ampere
 Alternators, Isuzu NPR

Original & X-References..

HITACHI	L160-23202
	L160-43202
WAI	31-8133
CARGO	135037
MOBILETRON	RH-15
TRANSPO	IHR721
	IHR721HD

HI11803

Diodes: 6-35Ampere
 With Aluminum Heat sinks



HI11804F

FEATURES

Diodes: 6-35Ampere
 Diameter OD: 118mm
 With M5×31mm Mounting Bolt
 With Trio
 The Same As **HI11803** Except Adding
 A Wire

Original & X-References..

HITACHI	L160-3320
	L150-13203
WAI	31-8105
CARGO	131598
MOBILETRON	RH-11
TRANSPO	IHR605
	IHR605HD



HI11805F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 118mm
 With M6×35.2mm Battery Post
 With M5×46.5mm Mounting Bolt
 With M5×41mm Mounting Bolt
 With Trio
 For use on: Nissan, Subaru DL/GL/RX
 Hatchback, Sedan & Wagon, Subaru
 Loyale

Original & X-References..



HI11806F

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 118mm
 With M6×35.2mm Battery Post
 With M5×46.5mm Mounting Bolt
 With M5×41mm Mounting Bolt
 With Trio

Original & X-References..



HI11810F

FEATURES

Diodes: 8-30 Ampere
 Diameter OD: 118mm
 With Trio

Original & X-References..



HI12601

FEATURES

Diodes: 6-25 Ampere
 Diameter OD: 126mm
 With M5×21mm Mounting Bolt
 With Trio

Original & X-References..

CARGO 135681



HI12602

FEATURES

Diodes : 6-25A Ampere
 Diameter OD : 126mm
 With M5×48.5mm Battery Post
 With M5×53.5mm Trio Post
 With Trio
 With 150 Ohm Resistor

Original & X-References..



HI12603

FEATURES

Diodes : 6-25A Ampere
 Diameter OD : 126mm
 With M5×30mm Battery Post
 With Trio
 With Capacitor
 With 150 Ohm Resistor

Original & X-References..



HI13201

FEATURES

Diodes: 8-25 Ampere
 Diameter OD: 132mm
 With M6×33.5mm Battery Post
 With Trio

Original & X-References..

HIF5001



FEATURES

Diodes: 6-25 Ampere Button
With M5×32.6mm Mounting Bolt

For use on: Nissan, Isuzu, Subaru,
Yanmar, Nissan Forklifts

Original & X-References..

HITACHI	
L125-6320	L125-8320
L140-6320	L140-7320
L160-13201	L140-9320
WAI	31-8100-3
CARGO	130618
MOBILETRON	RH-49
TRANSPO	IHR1000
	IHR1000HD

HIF5002



FEATURES

Diodes: 6-35 Ampere
With M5×32.6mm Mounting Bolt

For use on: Nissan, Isuzu, Subaru,
Yanmar, Nissan Forklifts

Original & X-References..

MOBILETRON	RH-49C
TRANSPO	IHR1000HD

The Same as **HIF5001**
Except Using TIN-CAN Diode

HIF5003



FEATURES

Diodes: 6-25 Ampere Button
With M5×36mm Mounting Bolt
With Trio

For use on: Nissan, Isuzu, Subaru

Original & X-References..

HITACHI	L135-N13201
	L150-N13202
WAI	31-8103
CARGO	131549 131548
MOBILETRON	RH-51
TRANSPO	IHR1001

HIF5004



FEATURES

Diodes: 6-35 Ampere
With M5×36mm Mounting Bolt
With Trio

For use on: Nissan

Original & X-References..

LUCAS	21511112	UBJ105
WAI	31-8104	
CAGRO	134386	
MOBILETRON	RH-50	
TRANSPO	IHR1002	

HI10301



Φ103mm

FEATURES

Diodes: 6-35 Ampere
Diameter OD: 103 mm
With M5×16.6mm Battery Post
With Trio

For use on: Nissan Pickup, Pathfinder,
Subaru Legacy

Original & X-References..

HITACHI	L180-13202
RENARD	15802
WAI	31-8123
CARGO	135040
MOBILETRON	RH-23
TRANSPO	IHR752



HI10302

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 103mm
 With M6×34mm Battery Post
 With M5×31.6mm Mounting Bolt
 With Trio

Original & X-References..

HITACHI	LR150-711
CARGO	138695
MOBILETRON	RH-28
TRANSPO	IHR757

For use on: Honda, Isuzu, Nissan Sentra



HI10303

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 103 mm
 With M5×16.6mm Battery Post
 Without Trio

Original & X-References..

HITACHI	L170-23203
CARGO	135039
MOBILETRON	RH-24
TRANSPO	IHR753

For use on: Nissan Pulsar, Sentra



HI10304

FEATURES

Diodes: 6-35Ampere
 Diameter OD: 103 mm
 With M5×16.6mm Battery Post
 With M5×31.6mm Mounting Bolt
 Without Trio
 For use on: Nissan Altima, Axess

Original & X-References..

HITACHI	L180G-7320
LR180-725C	LR180-736B
LR180-725B	LR170-739
WAI	31-8132
	31-8132-1
CARGO	139464
MOBILETRON	RH-29
TRANSPO	IHR758



HI10305

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 103 mm
 With M6×43mm Battery Post
 With Trio

Original & X-References..

HITACHI	L170-43202
WAI	31-8127
CARGO	136650
MOBILETRON	RH-22
TRANSPO	IHR751

For use on: Nissan Pickup, Pathfinder



HI10306

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 103mm
 With M6×43mm Battery Post
 With M5×31.6mm Mounting Bolt
 Without Trio
 For use on: Nissan Sentra

Original & X-References..

HITACHI	L170-G2320
WAI	31-8129
CARGO	135318
MOBILETRON	RH-25
TRANSPO	IHR754

HI10310

Diodes: 8-35 Ampere
 With M6×34mm Battery Post



HI10307

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 103mm
 With M6×43mm Battery Post
 With M5×31.6mm Mounting Bolt
 With Trio

Original & X-References..

HITACHI	L170-G1320
WAI	31-8125
CARGO	136976
MOBILETRON	RH-26
TRANSPO	IHR755

For use on: Honda, Isuzu, Nissan Sentra



HI10308

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 103 mm
 With M5×16.6mm Battery Post
 With M5×31.6mm Mounting Bolt
 With Trio
 For use on: Infiniti G20, Nissan Sentra,
 NX2000

Original & X-References..

HITACHI	L180-13202
WAI	31-8123
CARGO	135040
MOBILETRON	RH-23
TRANSPO	IHR756 IHR752

HI10309

Diodes: 8-35 Ampere



HI10311

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 103mm
 With M5-0.8Thread B+ Bushing
 With M5×31.6mm Mounting Bolt

Original & X-References..

HITACHI	L170-33202
WAI	31-8117
CARGO	135038
MOBILETRON	RH-21
TRANSPO	IHR750

For use on: Subaru Legacy 2.2L 70Amp



HI11301A

FEATURES

Diodes: 8-60 A Avalanche
 Diameter OD: 127mm
 With M8×45.6mm Battery Post
 With M5×31.6mm Mounting Bolt
 For use on: 1999-up Opel Astra, Vectra
 1.7L, 1999-up Opel Corsa, W/AC1.7L

Original & X-References..

CARGO	235729
MOBILETRON	RH-73
TRANSPO	IHR769

HI11301

Diodes: 8-60 Ampere

HI11316A

Diodes: 6-60 A Avalanche



HI11302

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 113mm
 With M8×45.6mm Battery Post
 With M5×31.6mm Mounting Bolt

Original & X-References..

HI11302A

Diodes: 8-35 A Avalanche

HI11302B

Diodes: 8-35A Avalanche

For 24V Alternator

With M6×51mm Battery Post



HI11303A

FEATURES

Diodes: 8-60 A Avalanche
 Diameter OD: 119mm
 With M6×20.3mm Battery Post
 With M5×31.6mm Mounting Bolt

For use on: Nissan Maxima 3.0L
 DOHC, Infiniti 130

Original & X-References..

HITACHI	L1125G-2320
	L1110G-4320
WAI	31-8142
CARGO	138718
MOBILETRON	RH-35
TRANSPO	IHR773



HI11304A

FEATURES

Diodes: 8-60 A Avalanche
 Diameter OD: 119mm
 With M6×20.3mm Battery Post
 With M5×31.6mm Mounting Bolt

For use on: 95-97 Nissan Maxima 3.0L
 DOHC, 98-99 Nissan Maxima
 SE3.0L, 98-99 Infiniti 3.0L

Original & X-References..

HITACHI	LR1110-709B
	LR1110-707G
	LR1110-710F
MOBILETRON	RH-77
NISSAN	231000L701
TRANSPO	IHR770



HI11305A

FEATURES

Diodes: 6-60 A Avalanche
 Diameter OD: 119mm
 With M6×20.3mm Battery Post
 With M5×31.6mm Mounting Bolt
 Mates to Regulators with Integral Brush
 Holder

For use on: 98-99 Nissan Maxima 3.0L

Original & X-References..

HITACHI	LR1110711
	LR1110711B
	L1100G-23201
NISSAN	231000L700
TRANSPO	IHR771



HI11306

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 119mm
 With M8×50.5mm Battery Post
 With M5×36.5mm Mounting Bolt

HI11307

Diodes: 8-35 Ampere

Original & X-References..



HI11308B

FEATURES

Diodes: 8-35A Avalanche
 Diameter OD: 127mm
 With M6×51mm Battery Post

For 24V Alternators

Original & X-References..

HITACHI	LR280-508
---------	-----------



HI11309B

FEATURES

Diodes: 8-35A Avalanche
Diameter OD: 127mm
With M6×20.3mm Battery Post

For 24V Alternators

Original & X-References..



HI11312-1

FEATURES

Diodes : 8-35A Ampere
Diameter OD : 113mm
With M6×20.3mm Battery Post
With M5×31.6mm Mounting Bolt

HI11312-2

With M6×48mm Battery Post

Original & X-References..



HI11315A

FEATURES

Diodes: 6-60A Avalanche
Diameter OD :127mm
With M8×45.6mm Battery Post
With M5×35mm Mounting Post

HI11315A-1

Diodes: 8-60A Avalanche

Original & X-References..



HI11318A

FEATURES

Diodes: 8-35A Avalanche
Diameter OD :127mm
With M6×20.3mm Battery Post
With M5×31.6mm Mounting Post

HI11318A-1

With M8×50.5mm Battery Post

HI11318B

Diodes: 8-35A Avalanche
For 24V Alternators

Original & X-References..



HI11322A

FEATURES

Diodes : 12-35A Avalanche
Diameter OD : 113mm
With M6×20.3mm Battery Post
With M5×31.6mm Mounting Bolt
For 12V Alternators

Original & X-References..

HI11323A



FEATURES

Diodes : 8-35 A Avalanche
Diameter OD : 119mm
With M8×50.5mm Battery Post
With M5×31.6mm Mounting Bolt

Original & X-References..

HI11401



FEATURES

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M8×45.6mm Battery Post
With M5×31.6mm Mounting Bolt
For use on: Opel Corsa, Vectra

Original & X-References..

HITACHI	L170G-23203
GM	97122644
CARGO	230094
MOBILETRON	RH-48
TRANSPO	IHR749

HI11401A

Diodes: 6-35A Avalanche

HI11402



FEATURES

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6×51mm Battery Post
With M5×42.5mm Mounting Bolt
With Trio
For use on: 8-97083286-0

Original & X-References..

CARGO	138615
-------	--------

HI11403



FEATURES

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M8×45.6mm Battery Post
With M5×31.6mm Mounting Bolt
For use on: Nissan Sentra, 200SX,
200SX Turbo

Original & X-References..

HITACHI	LR170-748
	LR170-748B
	LR190-729
	LR180-751
WAI	31-8141
CARGO	138732
TRANSPO	IHR746

HI11403A

Diodes: 8-35A Avalanche

HI11404



FEATURES

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M8×45.6mm Battery Post
With M5×31.6mm Mounting Bolt
For use on: Nissan Sentra, 200SX,
200SX Turbo

Original & X-References..

HI11404A

Diodes: 8-35A Avalanche



HI11405

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 114mm
 With M6×20.3mm Battery Post

For use on: Nissan Altima

HI11405A

Diodes: 6-35A Avalanche

HI11405-1

Diodes: 8-35 Ampere

Original & X-References..

HITACHI	LR160-727
LR180-741H	LR180-744
CARGO	230662
NISSAN	231001E800
WAI	31-8136
MOBILETRON	RH-32
TRANSPO	IHR778
TRANSPO	IHR783



HI11406

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With M5×18.5mm Battery Post
 With M5×31.6mm Mounting Bolt

HI11406A

Diodes: 8-35A Avalanche

Original & X-References..

HI11407

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With M6×20.3mm Battery Post
 With M5×31.6mm Mounting Bolt
 For use on: Nissan 240 SX

HI11407-1

Diodes: 8-35 Ampere

HI11407A

Diodes: 8-35A Avalanche

HI11407A-161

Diodes: 8-35A Avalanche

With M6×51mm Battery Post

Original & X-References..

HITACHI	LR185-701H
LR190-724	LR180-724C
WAI	31-8143
NISSAN	2310070F05
MOBILETRON	RH-33
TRANSPO	IHR775
TRANSPO	IHR744
MOBILTERON	RH-66
TRANSPO	IHR780



HI11408

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With M6×20.3mm Battery Post
 With M5×31.6mm Mounting Bolt
 For use on: 1977-2000 Nisan puthfinder
 3.3L

HI11408A

Diodes: 8-35A Avalanche

Original & X-References..

J&N	172-44066
TRANSPO	IHR737



HI11409

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With (M8 +M4)×55.4mm Battery Post
 With (M5+M4)×41.8mm Mounting Bolt

HI11409A

Diodes: 8-35A Avalanche

HI11416

Diodes: 6-35Ampere

Original & X-References..

CARGO	234809
-------	--------





HI11410

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With M6×20.3mm Battery Post
 With M5×31.6mm Mounting Bolt
 For use on: 1998-2002 Nissan Forntier 2.4L, 2000-2002 Nissan Xterra 2.4L

Original & X-References..

HITACHI	LR170-757B
NISSAN	231003S500
MOBILETRON	RH-70
TRANSPO	IHR738

HI11410A

Diodes: 8-35A Avalanche

TRANSPO	IHR739
---------	--------

HI11419

Diodes: 6-35 Ampere



HI11411

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 114mm
 With (M6+M4)×51mm Battery Post
 With (M5+M4)×41.8mm Mounting Bolt

Original & X-References..

CARGO	138417
-------	--------

HI11412

FEATURES

Diodes: 8-35Ampere
 Diameter OD: 114mm
 With M8×45.6mm Battery Post

Original & X-References..

JFZ170-061-120

HI11412A

Diodes: 8-35A Avalanche



HI11413

FEATURES

Diodes: 8-35A Ampere
 Diameter OD: 114mm
 With M6×48mm Battery Post
 With Trio

Original & X-References..



HI11413A-1

FEATURES

Diodes : 8-35A Avalanche
 Diameter OD : 114mm
 With M6×48mm Battery Post
 With M5×31.6mm Mounting Bolt

Original & X-References..

HI11413A-3

Diodes : 6-35A Avalanche





HI11413A-2

FEATURES

Diodes : 8-35A Avalanche
 Diameter OD : 114mm
 With M8×49mm Battery Post
 With M5×31.6mm Mounting Bolt
 With Trio

HI11413A-4

Diodes : 6-35A Avalanche

Original & X-References..

/



HI11413A-5

FEATURES

Diodes : 8-35A Avalanche
 Diameter OD : 114mm
 With M5×31.6mm Mounting Bolt
 With M6×48mm Mounting Bolt
 With M8×49mm Mounting Bolt

HI11413A-6

Diodes : 8-35A Avalanche

With Trio

HI11413A-7 6-35A Avalanche

HI11413A-8

Diodes : 6-35A Avalanche

With Trio

Original & X-References..



HI11414

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 114mm
 With M8×49mm Battery Post

Original & X-References..

HITACHI	LR170-745
MOBILETRON	RH-30
TRANSPO	IHR745

For use on: Nissan Pick-up, Pathfinder



HI11417

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With M6×48mm Battery Post
 With M5×31.6mm Mounting Bolt

HI11417-1

With M8×49mm Battery Post

Original & X-References..



HI11418A

FEATURES

Diodes: 6-35A Avalanche
 Diameter OD: 114mm
 With M6×51mm Battery Post
 With M5×31.6mm Mounting Bolt

Original & X-References..

J&N	172-44064
TRANSPO	IHR781



HI11418A-1

FEATURES

Diodes: 6-35A Avalanche
 Diameter OD: 114mm
 With M6×51mm Battery Post
 With M5×31.6mm Mounting Bolt

Original & X-References..

J&N 172-44065
 TRANSPO IHR782



HI11420

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With M8×45.6mm Battery Post
 With M5×31.6mm Mounting Bolt

Original & X-References..

HI11421

With M6×20.3mm Battery Post



HI11422

FEATURES

Diodes : 6-35A Ampere
 Diameter OD : 114mm
 With M6×20.3mm Battery Post
 With M5×31.6mm Mounting Bolt
 With Trio

Original & X-References..



HI11423

FEATURES

Diodes : 6-35A Ampere
 Diameter OD : 114mm
 With M6×20.3mm Battery Post

Original & X-References..

HI11423-1

Diodes : 8-35A Ampere

HI11423-2

Diodes : 6-35A Ampere
 With M8×45.6mm Battery Post

HIACHI LR170758
 HONDA BP4W18300B
 BP4W1830-0BC
 TRANSPO IHR762



HI11424

FEATURES

Diodes : 8-35A Ampere
 Diameter OD : 114mm
 With M6×48mm Battery Post

Original & X-References..

HIACHI LR190744
 ISUZU 2902768300
 LESTER 13825
 TRANSPO IHR764



HI10013

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 100mm
 With M6×44.4mm Battery Post
 With (M5+M4)×39.8mm Mounting Bolt
 With Trio
 For use on: Nissan 200SX, Nissan Sentra, Subaru

Original & X-References..

HITACHI	LR150-704
	L170-9320
WAI	31-8109
CARGO	132098
MOBILETRON	RH-39C
NISSAN	2310051S00
	23230-51500
TRANSPO	IHR719



HI10014

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 100mm
 With M6×44.4mm Battery Post
 With (M5+M4)×39.8mm Mounting Bolt
 With Trio
 For use on: Subaru XT Coupe, Nissan Axxess

Original & X-References..

HITACHI	L165-6320
	L165-7320
	L170-7302
WAI	31-8114
CARGO	133377
MOBILETRON	RH-40C
NISSAN	2323077A00
TRANSPO	IHR720

HI10015

Diodes: 8-35Ampere Dish



HI111ZT21135F

FEATURES

Complete set with
 REC **HI11106+** REG (05-007) 14V

Original & X-References..

For use on: NISSAN (DIESEL)



HI111ZT31135F

FEATURES

Complete set with
 REC **HI11106+** REG (05-010) 14V

Original & X-References..

HITACHI	L140-53202
	L150-83201

For use on: NISSAN (DIESEL)



HI11116ZT

FEATURES

Complete set with
 REC **HI11106PL+** REG (05-010) 14V

Original & X-References..

HITACHI	L140-53202
	L150-83201

HI11116ZT-1

REC **HI11106PL+**REG (05-011) 14V

With 4 pin plug

HI11116ZT-2

REC **HI11106+** REG (05-012) 28V



HI111ZT41135F

FEATURES

Complete set with
REC **HI11106+** REG (05-011) 14V

-

For use on: NISSAN (DIESEL)

Original & X-References..

HITACHI L140-53202
L150-83201



HI111ZTN31135F

FEATURES

Complete set with
REC **HI11101+** REG (05-027) 14V

For use on: NISSAN (DIESEL)

Original & X-References..

HITACHI L150-13204



HI112ZT21135C

FEATURES

Diodes: 6-35Ampere
Diameter OD: 112mm
Complete set with
REC **HI11102HDe+** REG (05-030) 14V

Original & X-References..



HI11212ZT

FEATURES

Complete set with
REC **HI11212+**REG (05-0201) 14V

Original & X-References..



HI11145ZT

FEATURES

Complete set with
REC **HI11145PL+**REG (05-084) 28V

Original & X-References..



HI113ZT12835F

FEATURES

Complete set with
REC HI11124+ REG (12-003) 28V

Original & X-References..

CARGO 135680



HI113ZT22835F

FEATURES

Complete set with
REC HI11124+ REG (12-003) 28V

Original & X-References..



HI113ZT32835F

FEATURES

Complete set with
REC HI11124+ REG (12-003) 28V

Original & X-References..



HI114ZT

FEATURES

Complete set with
REC HI11123L+ REG (05-046) 14V

Original & X-References..

HI114ZT-1

REC HI11123LE+REG (05-005) 14V



HI132ZT

FEATURES

Diodes: 8-25 Ampere
Diameter OD: 132mm
Complete set with
REC HI13201+REG (12-011) 28V

Original & X-References..

HI132HDZT

Diodes: 8-35 Ampere



HI10304ZT

FEATURES

Complete set with
REC **HI10304+REG (05-088)** 14V

Original & X-References..

TRANSPO IHR758+IH762



HI10310ZT

FEATURES

Complete set with
REC **HI10310+REG (05-052)** 14V

Original & X-References..

TRANSPO IHR754+IH248

For use on: LR170-734



HI11301AZT

FEATURES

Complete set with
REC **HI11301A+REG (05-085)** 14V

Original & X-References..

HITACHI LR1100-502E
LR1100-502G
TRANSPO IHR769+IH769

HI11301ZT

Complete set with
REC **HI11301+REG (05-085)** 14V

HI11316AZT

Complete set with
REC **HI11316A+REG (05-085)** 14V



HI11317AZT

FEATURES

Complete set with
REC **HI11301A+REG (05-0531)** 14V

Original & X-References..

HITACHI LR180-508



HI11302BZT

FEATURES

Complete set with
REC **HI11302B+REG (05-037)** 28V

Original & X-References..

HITACHI LR250-517

L Terminal

HI11302A-1ZT

REC **HI11302A-1+REG(05-042)** 14V

L.S Terminal



HI11303AZT

FEATURES

Complete set with
REC **HI11303A+REG (05-0082)** 14V

Original & X-References..

HITACHI LR1110-705
TRANSPO IHR773+IH766

HI11303AZT-2

REC HI11303A+REG (05-0251) 14V



HI11305AZT

FEATURES

Complete set with
REC HI11305A+REG (05-054) 14V

Original & X-References..

LR1110-713C

HI11305AZT-1

REC HI11305A+REG (05-036) 14V

13901

HI11305AZT-2

REC HI11305A+REG (05-0961) 14V



HI11306ZT

FEATURES

Complete set with
REC **HI11306+REG (05-0251)** 14V

Original & X-References..

HITACHI LR190-734

HI11307ZT

Complete set with
REC **HI11307+REG (05-0251)** 14V



HI11308BZT

FEATURES

Complete set with
REC **HI11308B+REG (05-016)** 24V

Original & X-References..

HITACHI LR280-508

HI11308BZT-1

REC HI11308B+REG (05-037) 24V

HI11308B-1ZT

REC HI11308B-1+REG (05-016) 24V



HI11311BZT

FEATURES

Complete set with
REC **HI11311B+REG (05-1031)** 24V

Original & X-References..

HITACHI LR280-508



HI11312ZT

FEATURES

With M8×45.6mm B+ stud
Complete set with
REC **HI11312+REG (05-043)** 14V
L Terminal

Original & X-References..

HITACHI LR180-510 (14V)

HI11312-2ZT

REC **HI11312-2+REG (05-043)** 14V



HI11313AZT

FEATURES

Complete set with
REC **HI11303A+REG (05-0541)** 14V

Original & X-References..

For use on: Nissan Maxima 3.0L
DOHC, Infiniti 130



HI11314AZT

FEATURES

Complete set with
REC **HI11304A+REG (05-036)** 14V

Original & X-References..

For use on: 95-97 Nissan Maxima 3.0L
DOHC, 98-99 Nissan Maxima
SE3.0L, 98-99 Infiniti 3.0L



HI11315AZT

FEATURES

Complete set with
REC **HI11315A+REG (05-0531)** 14V

Original & X-References..

HI11315A-1ZT

Complete set with
REC **HI11315A-1+REG(05-0141)** 14V



HI11318AZT

FEATURES

Complete set with
REC **HI11318A+REG (05-042)** 14V
HI11318A-1ZT
REC **HI11318A-1+REG (05-042)** 14V

Original & X-References..

HI11318BZT

Complete set with
REC **HI11318B+REG (05-016)** 24V

HITACHI

LR280-501



HI11321AZT

FEATURES	Original & X-References..
----------	---------------------------

Complete set with
REC HI11321A+REG (05-054) 14V



HI11322AZT-1

FEATURES	Original & X-References..
----------	---------------------------

Complete set with
REC HI11322A+REG (05-0961) 24V



HI11323AZT

FEATURES	Original & X-References..
----------	---------------------------

Complete set with
REC HI11323A+REG (05-054) 14V



HI11324AZT

FEATURES	Original & X-References..
----------	---------------------------

Complete set with
REC HI11324A+REG (05-0961) 14V



HI11401ZT

FEATURES	Original & X-References..
----------	---------------------------

Complete set with
REC HI11401+REG (05-0041) 14V

HITACHI	LR170-505
	LR170-505B
TRANSPO	IHR749+IH776

For use on: Opel Corsa, Ventra

HI11401AZT

Complete set with
REC HI11401A+REG (05-0041) 14V



HI11402ZT

FEATURES

Complete set with
REC **HI11402A+REG (05-0031)** 24V

Original & X-References..

For use on: 8-97083286-0

HI11402-3ZT

Complete set with
REC **HI11402+REG (05-0241)** 14V

HITACHI
CARGO

LR1100-503
138615



HI11403ZT

FEATURES

Complete set with
REC **HI11403+REG (05-0151)** 14V

Original & X-References..

HITACHI
LR170-748
LR170-748B
LR180-751
LR190-729

HI11403AZT

Complete set with
REC **HI11403A+REG (05-0151)** 14V

TRANSPO

IHR746+IH767

HI11403AZT-1

REC **HI11403A+REG (05-001)** 14V



HI11405ZT

FEATURES

Complete set with
REC **HI11405+REG (05-0151)** 14V

Original & X-References..

HITACHI
LR160-727
LR180-741H
LR180-744

HI11405AZT

Complete set with
REC **HI11405A+REG (05-0151)** 14V

TRANSPO

IHR778+IH767

HI11405A-3ZT

REC **HI11405A-3+REG (05-0151)** 14V



HI11406ZT

FEATURES

Complete set with
REC **HI11406+REG (05-0151)** 14V

Original & X-References..

HI11406+IH767

HI11406AZT

Complete set with
REC **HI11406A+REG (05-0151)** 14V



HI11407AZT

FEATURES

Complete set with
REC **HI11407A+REG (05-0251)** 14V
For use on: Subaru Legacy

Original & X-References..

LESTER 13645
TRANSPO IHR744+IH765

HI11407A-1ZT

With M8×50.5mm Battery Post
Complete set with
REC **HI11407A-1+REG (05-0251)** 14V

HITACHI
WAI
TRANSPO

LR160-728
48-8102
IHR775+IH765



HI11408ZT

FEATURES

Complete set with
REC **HI11408**+REG (05-0151) 14V

For use on:1977-2000 Nisan puthfinder
3.3L

HI11408AZT

Complete set with
REC **HI11408A**+REG (05-0151) 14V

Original & X-References..

HITACHI	LR19073
NISSAN	23100-OW001
TRANSPO	IHR737+IH767



HI11409ZT

FEATURES

Complete set with
REC **HI11409**+REG (05-009) 14V

HI11409AZT

Complete set with
REC **HI11409A**+REG (05-009) 14V

Original & X-References..

HITACHI	LR1100-501B
---------	-------------



HI11410ZT

FEATURES

Complete set with
REC **HI11410**+REG (05-001) 14V
For use on: 1998-2002 Nissan Forntier
2.4L, 2000-2002 Nissan Xterra 2.4L

HI11410AZT

REC **HI11410A**+REG (05-001) 14V

HI11410AZT-2

REC **HI11410A**+REG (05-055) 14V

HI11419ZT

REC **HI11419**+REG (05-001) 14V

Original & X-References..



HI11411ZT

FEATURES

Complete set with
REC **HI11411**+REG (05-035) 14V

HI11416ZT

With (M8+M4) ×55.4mm Battery Post

Complete set with
REC **HI11416**+REG (05-035) 14V

Original & X-References..

HITACHI	LR170-502
---------	-----------



HI11412ZT

FEATURES

Complete set with
REC **HI11412**+REG (05-0251) 14V

HI11412-1ZT

Complete set with
REC **HI11412-1**+REG (05-0251) 14V

Original & X-References..

HITACHI	LR160-728E
---------	------------



HI11413ZT

FEATURES

Complete set with
REC HI11413+REG (05-002) 14V

Original & X-References..



HI11414ZT

FEATURES

Complete set with
REC HI11414+REG (05-0151) 14V

For use on: Nissan Pick-up, Pathfinder

Original & X-References..

TRANSP0 IHR745+IH767



HI11417ZT

FEATURES

Complete set with
REC HI11417+REG (05-001) 14V

HI11417-1ZT

REC HI11417-1+REG (05-001) 14V

Original & X-References..



HI11418AZT

FEATURES

Complete set with
REC HI11418A+REG (05-102) 14V

Original & X-References..



HI11423-1ZT

FEATURES

Complete set with
REC HI11423-1+REG (05-054) 14V

HI11423-2ZT

REC HI11423-2+REG (05-054) 14V
M8×45.6mm Battery Bolt

Original & X-References..



HI11424ZT

FEATURES	Original & X-References..
----------	---------------------------

Complete set with REC HI11424+REG (05-054) 14V	
---	--



HI11427AZT

FEATURES	Original & X-References..
----------	---------------------------

Complete set with REC HI11427+REG (05-104) 14V	
---	--

Customer provide Regulator

HITACHI	LR190-742
CARGO	13829
TRANSPO	IHR742+IH742



ISK001

FEATURES

Diodes: 8-35A Avalanche
 With M8×39.5mm Battery Post
 With M5×28.5mm Trio Post
 With Trio
 With Capacitor

Original & X-References..

CARGO	231050
MONARK DIESEL	093231050
	93231050



ISK002

FEATURES

Diodes: 8-35 A Avalanche
 With M8×54mm Battery Post
 With M5×32mm Trio Post
 With M5×32mm W Post
 With Trio
 With Capacitor

Original & X-References..

CARGO	231472
ISKRA	16903507

ISK006

Diodes: 6-35 A Avalanche



ISK003

FEATURES

Diodes: 8-35A Avalanche
 With M6×54mm Battery Post
 With M5×32mm Trio Post
 With M5×32mm W Post
 With Trio
 With Capacitor

Original & X-References..



ISK004B

FEATURES

Diodes: 8-35A Avalanche
 With M8×35.5mm Battery Post
 With M4×21.1mm Trio Post
 With M5×22.1mm W Post
 With Trio
 With Capacitor
 For 24V Alternators

Original & X-References..



ISK005

FEATURES

Diodes:6-35A Avalanche
 With M8×54mm Battery Post
 With M5×32mm Trio Post
 With Trio
 With Capacitor

Original & X-References..



ISK007

FEATURES

Diodes: 8-35A Avalanche
 With M8×39.5mm Battery Post
 With M5×28.5mm Trio Post
 With Trio
 With Capacitor

Original & X-References..



ISK008

FEATURES

Diodes :6-35A Avalanche
 With M6×54mm Battery Post
 With M5×32mm Trio Post
 With Trio
 With Capacitor

Original & X-References..



LA1102

FEATURES

Diodes: 6-50A Avalanche
 With M6×51mm Battery Post
 With Trio/Capacitor
 With "W" Terminal

Original & X-References..

TR1-105-04

LA1104

Diodes: 8-50A Avalanche
 Without Capacitor
 With "W" Terminal



LA1103

FEATURES

Diodes: 6-50 Ampere
 With Trio
 Without Capacitor
 With "W" Terminal

Original & X-References..

BVO-1-105



LA1107

FEATURES

Diodes: 6-50 A Avalanche
 With Trio
 Without Capacitor
 With "W" Terminal

Original & X-References..



LA1107-1

FEATURES

Diodes: 6-50 A Avalanche
With Trio
With Capacitor
With "W" Terminal

Original & X-References..

5B03-105-03



LA1107-2

FEATURES

Diodes: 6-50 A Avalanche
With Trio
With Capacitor
Without "W" Terminal

Original & X-References..

6B03-105-01



LA1107-4

FEATURES

Diodes: 8-50 A Avalanche
With Trio
Without Capacitor
With "W" Terminal

Original & X-References..



LA1109

FEATURES

Diodes: 6-50 A Avalanche
Without Trio
Without Capacitor
With "W" Terminal

Original & X-References..



LA1110

FEATURES

Diodes: 6-50 A Avalanche
Without Trio
With "W" Terminal

Original & X-References..



LA1114

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-35 Ampere With Trio Without Capacitor Without "W" Terminal	56-65-02
---	----------



LA1115

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-35 Ampere Without Capacitor Without "W" Terminal	56-65-02e
--	-----------



LA1117

FEATURES	Original & X-References..
----------	---------------------------

Diodes:6-35A Avalanche With M6×51mm Battery Post With Trio With Capacitor Without "W" terminal	JFZ1848
--	---------

LA1118	JFZ1948
---------------	---------

Diodes:6-50A Avalanche	
------------------------	--



LA1119

FEATURES	Original & X-References..
----------	---------------------------

Diodes:6-35A Avalanche With M6×51mm Battery Post With Trio With Capacitor With "W" terminal	JFZ1848A
---	----------

LA1120	JFZ1948A
---------------	----------

Diodes:6-50A Avalanche	
------------------------	--



LA1125

FEATURES	Original & X-References..
----------	---------------------------

Diodes:6-50A Avalanche With Trio Without Capacitor Without "W" terminal	
--	--



LA1128B

FEATURES

Diodes:8-50A Avalanche
 With M6×51mm Battery Post
 With Trio
 With Capacitor
 With "W" terminal
 For 24V Alternators

Original & X-References..



LA1129

FEATURES

Diodes:8-50A Avalanche
 With M6×51mm Battery Post
 With Trio
 With Capacitor
 Without "W" terminal

Original & X-References..



LA1130

FEATURES

Diodes:6-35 Avalanche
 With M6×51mm Battery Post
 With Trio
 Without "W" terminal

Original & X-References..



ZLB-07

FEATURES

Diodes: Positive Assembly, 3-50
 Ampere Press Fit 330 Volt
 With Lead Wire 1-125mm
 With Lead Wire 2-85mm
 For use on: 140-160A 2800JB Series,
 7800JB Series

Original & X-References..

LEECE NEVILE	97084
MOBILETRON	RC-07HV
WAI	31-505
CARGO	230752
LESTER	7613
TRANSPO	LR97084



ZLB-08

FEATURES

Diodes: Negative Assembly,3-50
 Ampere Press Fit 330 Volt
 With Lead Wire 1-125mm
 With Lead Wire 2-85mm
 For use on: 140-160A 2800JB Series,
 7800JB Series

Original & X-References..

LEECE NEVILE	97085
MOBILETRON	RC-08HV
WAI	31-504
CARGO	230753
LESTER	7613
TRANSPO	LR97085



ZLB-09

FEATURES

Diodes: Positive ssembly,3-35
 Ampere Press Fit 330 Volt
 With Lead Wire 3-125mm

 For use on: 130A 2700JB Series

Original & X-References..

LEECE NEVILLE	79193
MOBILETRON	RC-05HV
WAI	31-503
CARGO	230606
LESTER	7614
	7767
	7602
TRANSP0	LR79193



ZLB-10

FEATURES

Diodes: Negative Assembly,3-35
 Ampere Press Fit 330 Volt
 With Lead Wire 3-135mm

 For use on: 130A 2700JB Series

Original & X-References..

LEECE NEVILLE	79415
MOBILETRON	RC-06HV
WAI	31-502
CARGO	230607
LESTER	7706JA
	7711JA
TRANSP0	LR79415



ZLB-11

FEATURES

Diodes: Positive Assembly,3-35
 Ampere Button
 Aluminum Heat Sink
 With 1/4" x 40 Battery Post

 For use on: Chrysler Square Back

Original & X-References..

WAI	31-301-1
CARGO	131420
TRANSP0	CR3040
	CR3042
	CR3042HD



ZLB-12

FEATURES

Diodes: Negative Assembly, 3-35
 Ampere Button
 Aluminum Heat Sink

 For use on: Chrysler Square Back

Original & X-References..

WAI	31-300-2
CARGO	131419
TRANSP0	CR3041
	CR3043
	CR3043HD



ZLB-13

FEATURES

Diodes: Negative Assembly, 3-50 A
 Avalanche Button

Original & X-References..



ZLB-17

FEATURES

Diodes: 6-50 Ampere
 Negative Assembly
 10-Gauge Leads with Hi-Temp
 Insulation

For use on: EMV, Navistar Trucks

Original & X-References..

LEECE NEVILLE	101425
TRANSCO	LR711425



LUS1101

FEATURES

Diodes: 9-25 Ampere Button
 With M5×50mm Mounting Post

For use on: Austin, Lotus, MG,
 Triumph, Chrysler & Ford Imports

LUS1101HD

Diodes: 9-35 Ampere Button

Original & X-References..

LUCAS	83 166	83 334
	83 520	83 842
WAI	31-9200	
CARGO	130643	
MOBILETRON	RL-08HV	
TRANSCO	ILR166	



LUS1102

FEATURES

Diodes: 6-25 Ampere Button
 With M5×50mm Mounting Post
 With Trio

For use on: Austin, Lotus, MG,
 Triumph, Chrysler & Ford Imports

Original & X-References..

LUCAS	83 166
	83 334
	83 520
	83 842
WAI	31-920
CARGO	130643




LUS1103

FEATURES

Diodes: 6-25 Ampere Dish Diode
 With M5×50mm Mounting Post
 With Trio

For use on: Austin, Lotus, MG,
 Triumph, Chrysler & Ford Imports

Original & X-References..



LUS133


FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×41.7mm Battery Post
 With M5×53.7mm W-Post
 With Lead Wire 110mm
 With Trio

For use on: Massey Ferguson, J.I. Case

Original & X-References..

LUCAS	84 201	84 422
WAI	31-9208	
CARGO	131304	
MOBILETRON	RL-01H	
TRANSCO	ILR566HD	




LUS136

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×46.5mm Battery Post
 With M5×47.5mm W-Post
 With Lead Wire 110mm
 With Trio
 For use on: Ford Tractor

Original & X-References..

LUCAS	84 468	UBB 136
CARGO	132720	
MOBILETRON	RL-11H	
TRANSPO	ILR567HD	




LUS137

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×43.7mm Battery Post
 With M5×53.7mm W-Post
 With M4×28mm Trio Post
 With Lead Wire 110mm
 With Trio
 For use on: Ford Tractor, Rover

Original & X-References..

FORD	86AB10304BA	
LUCAS	84 469	UBB 137
CARGO	132721	
MOBILETRON	RL-09H	
TRANSPO	ILR568HD	




LUS140

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×46.5mm Battery Post
 With M5×47.5mm W-Post
 With Lead Wire 110mm
 With Trio

Original & X-References..

LUCAS	UBB 140	84456
WAI	31-9220	
CARGO	132718	
MOBILETRON	RL-06H	
UNIPOINT	REC-834	
TRANSPO	ILR570HD	




LUS143

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×32.5mm Battery Post
 With M5×53.7mm W-Post
 With Lead Wire 110mm
 With Trio
 For use on: Industrial

Original & X-References..

LUCAS	84 889	UBB 143
WAI	31-9208	
CARGO	131304	
MOBILETRON	RL-01H	
UNIPOINT	REC-838	
	REC831	
TRANSPO	ILR571HD	




LUS145

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×43.7mm Battery Post
 With M5×47.5mm W-Post
 With M4×28mm Trio Post
 With Lead Wire 110mm
 With Trio
 For use on: Ford

Original & X-References..

LUCAS	4 572	UBB 145
WAI	31-9222	
CARGO	136666	
MOBILETRON	RL-21H	
UNIPOINT	REC-835	
TRANSPO	ILR572HD	




LUS147

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×46.5mm Battery Post
 With M5×47.5mm W-Post
 With Trio
 For use on: Industrial

Original & X-References..

LUCAS	84 888	UBB 147
WAI	31-9221	
CARGO	133430	
MOBILETRON	RL-07H	
UNIPOINT	REC836	
TRANSPO	ILR574HD	




LUS148

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×52mm Battery Post
 With M5×53.7mm W-Post
 With M5×31.5mm Trio Post
 With Lead Wire 110mm
 With Trio
 For use on: Nissan Primera

Original & X-References..

LUCAS	84 976	633 285 06
WAI	31-9223	
CARGO	136324	
MOBILETRON	RL-10H	
TRANSPO	ILR576HD	




LUS149

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×32.5 mm Battery Post
 With M5×53.7mm W-Post
 With Lead Wire 110mm
 With Trio
 For use on: Nissan Industrial, Rover

Original & X-References..

LUCAS	84 574	UBB 138
CARGO	138808	
MOBILETRON	RL-22H	
TRANSPO	ILR569HD	



LUS152

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 115mm
 With M6×41.7mm Battery Post
 With M8×38mm Battery Post
 With M5×47.5mm W-Post
 With M5×25mm Trio Post
 With Lead Wire 110mm
 With Trio

Original & X-References..



MG6301

FEATURES	Original & X-References..
Diodes: 6-50A Avalanche	MAGNETI MARELLI
Diameter OD: 121mm	63624201
With M8×50mm Battery Post	63320256
Without trio	MOBILETRON RI-23H
For use on: Alfa Romeo 145,146,155	CARGO 138377
GTV spider Fiat Bravo, Barchetta, Marea, Palio, Punto90, Ducato 1.9TD	TRANSPO IXR642
Lancia Nuova, Delta, Dedra K2.4TD	



MG6302

FEATURES	Original & X-References..
Diodes: 8-50A Avalanche	MAGNETI MARELLI
Diameter OD: 111mm	63321240
With M8×50mm Battery Post	MOBILETRON RI-19H
	WAI 31-9338
For use on: Fiat Punto 55,66,75,90 TDS	CARGO 138800
	TRANSPO IXR634



MG6303

FEATURES	Original & X-References..
Diodes: 6-35Ampere	MAGNETI MARELLI
Diameter OD: 104mm	84574
With M6×41mm Battery Post	MOBILETRON RI-16H
With M4×17mm	CARGO 136740
With Trio	TRANSPO IXR542
For use on: Ford Tractor Range Rover, Land Rover	



MG6304

FEATURES	Original & X-References..
Diodes: 6-50A Avalanche	MAGNETI MARELLI
Diameter OD: 121mm	63624202
With M6×34.5mm Battery Post	MOBILETRON RI-24H
	CARGO 138801
	TRANSPO IXR719



MG6305

FEATURES	Original & X-References..
Diodes: 6-50A Avalanche	ALTERNAOTR REFERENCES
Diameter OD: 111mm	CARGO CA1217IR
With M6×39.5mm Battery Post	FIAT 63341730

MG6306

Diodes: 8-50A Avalanche



MG6307

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M8×50mm Battery Post

Original & X-References..

MAGNETI MARELLI	
63623501	RDD33
MOBILETRON	RI-14H
CARGO	136423
TRANSPO	IXR633



MG6309

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M6×18.5mm Battery Post

Original & X-References..



MG6310

FEATURES

Diodes: 8-50A Avalanche
 Diameter OD: 111mm
 With M6×18.5mm Battery Post

Original & X-References..



MG6311

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M6×39.5mm Battery Post

Original & X-References..



MG6312

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M8×50mm Battery Post
 Without trio
 For use on: Fiat Punto 55,60,75,90 TDS

Original & X-References..

MAGNETI MARELLI	
063624701010	063624801010
MOBILETRON	RI-21H
CARGO	138376
TRANSPO	IXR635



MG6313

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M6×23.5mm Battery Post

Original & X-References..

ALTERNAOTR	REFERENCES
CARGO	CA1340IR
FIAT	63321679
	63341679
MOBILETRON	RI-32H
TRANSPO	IXR631



MG6314

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M8×50mm Battery Post

Original & X-References..

MAGNETI MARELLI	
	63625002
CARGO	231025



MG6316

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M6×39.5mm Battery Post

Original & X-References..



MG6317

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 121mm
 With M8×46mm Battery Post

Original & X-References..

ALT348



MG6318

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 111mm
 With M8×33.3mm Battery Post
 With Trio

Original & X-References..



MG6319

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 121mm
 With M8×50mm Battery Post
 Without trio

Original & X-References..



MG6401

FEATURES

Diodes: 6-35 A Avalanche
 With M6×41.7mm Battery Post
 With Trio

Original & X-References..

MAGNETI MARELLI
 0135240 0135241
 443930135240
 CARGO 134977



MG6402

FEATURES

Diodes: 6-35A Avalanche
 With M6×41.7mm Battery Post
 With M5×39mm Trio Post
 With M5×35mm W-Post
 With M5×35mm Mounting Post
 With Trio

Original & X-References..



MG6403

FEATURES

Diodes: 8-50A Avalanche
 With M8×43mm Battery Post
 With M5×28mm Trio Post
 With M5×39mm Mounting Post
 With Trio

Original & X-References..



MG6405

FEATURES

Diodes: 8-50 Ampere
 With M6×41.7mm Battery Post
 With Trio

Original & X-References..



MG6901

FEATURES

Diodes: 6-25Ampere Button
 With M6×45mm Battery Post
 With M5×25mm Tighting Bolt
 With Trio
 Thick: 19.5mm
 For use on: Fiat

Original & X-References..

FIAT		
4 808 510	4 808 513	4 808 517
4 808 518	7 541 401	7 542 145
7 548 004	7 552 382	
MOBILETRON	RI-02	
UNIPOINT	REC-353	
WAI	31-9304	
CARGO	131505	
TRANSPO	IXR 693	




MG6902

FEATURES

Diodes: 6-25Ampere Button
 With M6×45mm Battery Post
 With Trio
 Thick: 17.5mm
 For use on: Fiat

Original & X-References..

LUCAS	21222124	UBB 812
WAI	31-9305	
CARGO	131391	
TRANSPO	IXR692	



MG6903

FEATURES

Diodes: 6-25Ampere Button
 With (M8+M5)×50.5mm Battery Post
 With Trio
 Thick: 17.5 mm

Original & X-References..

MAGNETI MARELLI	
063622901010	63622901
CARGO	139218
TRANSPO	IXR704

For use on: Fiat

MG6903-1

Diodes:6-35A Button



MG6905

FEATURES

Diodes: 6-35Ampere Button
 With Trio
 Thick:17.5mm

Original & X-References..

MAGNETI MARELLI	
64826040	64878691
MOBILETRON	RI-01
UNIPOINT	REC-351
	REC-352
WAI	31-9302
CARGO	130650
TRANSPO	IXR691

For use on: Fiat




MG6906

FEATURES

Diodes: 6-35Ampere Button
 Without Trio
 Thick:17.5mm
 For use on: Peugeot 404,405, Renault R16,R6,Saab

Original & X-References..

VALEO	NC013	NC014
MOBILETRON	RU-01	
UNIPOINT	REC-923	
CARGO	130634	
WAI	31-9400	
TRANSPO	IDR197	



MG6908

FEATURES

Diodes: 6-35Ampere Button
 With Trio
 Thick:17.5mm

Original & X-References..

MOBILETRON	RU-02
TRANSPO	IDR560

For use on: Fiat



MG6904

FEATURES

Diodes: 6-35A Avalanche press fit diode
 With M6×50mm Battery Post
 With Trio

Original & X-References..



MG6907

FEATURES

Diodes: 6-25 Ampere Button
 With Trio

Original & X-References..

ISKRA	16906614
MOBILETRON	RT-19H
CARGO	231363



MG6911

FEATURES

Diodes: 6-25 Ampere Button
 With M6×50mm Battery Post
 With Trio

Original & X-References..

TRANSPO	LS12509
---------	---------



MIA6501

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 65mm
 With M5×49mm Battery Post
 With Trio

For use on: Ford, Mazda, Mitsubishi,
 Plymouth

Original & X-References..

MITSUBISHI	A 860 T 11970
	A 860 T 13370
MOBILETRON	RM-01 RM-02
	RM-15
WAI	31-8305
	31-8316
CARGO	132039 136981
TRANSPO	IMR6542



MIA6502

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 65mm
 With M5×49mm Battery Post
 With Trio

For use on: Subaru Justy

Original & X-References..



MIA6503

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 65mm
 With Trio
 For use on: Hyundai, Mitsubishi, Dodge
 Colt, Hyundai, Mitsubishi Precis,
 Mirage, Plymouth Champ

Original & X-References..

MITSUBISHI	A 860 T 16770
	A 860 T 13770
	MD611254
MOBILETRON	RM-04
WAI	31-8323
CARGO	132791
TRANSPO	IMR6548



MIA6504

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 65mm
 With M6×49.5mm Battery Post
 With Trio

For use on: Subaru Justy

Original & X-References..

MITSUBISHI	A 860 T 22770
MOBILETRON	RM-03
WAI	31-8317
CARGO	132789
TRANSPO	IMR6540



MIA6506

FEATURES

Diodes : 6-30A Ampere
 Mounting Length : 65mm
 With M8×54mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA6508

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 65mm
 With M5×44mm Battery Post
 With Trio

Original & X-References..



MIA6509

FEATURES

Diodes:6-30A Ampere
 Mounting Length : 65mm
 With M5×49mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA7501

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M5×49mm Battery Post
 With Trio
 For use on: Mazda 626, B1800, B2000,
 Picjup, RX7

Original & X-References..

MITSUBISHI	
A 860 T 17570	A 860 T 17970
A 860 T 24270	A 860 T 13270
MOBILETRON	RM-08
WAI	31-8303
CARGO	132040
TRANSPO	IMR7544



MIA7502

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M5×44mm Battery Post
 With Trio
 For use on: Mazda 626, Pickup,RX7

Original & X-References..

MITSUBISHI	A 860 T 17570
A 860 T 17970	A 860 T 24270
A 860 T 13270	A 860 T 26970
MOBILETRON	RM-08
WAI	31-8335
CARGO	132040
TRANSPO	IMR7546



MIA7503

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With Trio
 For use on: Chrysler Laser, Ford,
 Mitsubishi Starion

Original & X-References..

MITSUBISHI	A 860 T 17770
MD611307	A 860 T 17779
MOBILETRON	RM-11
WAI	31-8322
CARGO	133265
UNIPOINT	REC-575
TRANSPO	IMR7550



MIA7504

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A 860 T 27170
WAI	31-8320
CARGO	132469
TRANSP0	IMR7556

For use on: Mazda 626, MX-6, Ford Probe, Hyundai, Dodge



MIA7505

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..

MOBILETRON	RM-22
WAI	31-8359
TRANSP0	IMR7558

For use on: Geo Tracker, Suzuki Sidekick



MIA7506

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 75mm
 With M5×44mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A 860 T 32570
MOBILETRON	RM-23
WAI	31-8345
CARGO	134027
TRANSP0	IMR7562

For use on: Mazda Protege



MIA7507

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×47.5mm Battery Post
 With Trio
 For use on: Mitsubishi Galant, Mirage, Pajero

Original & X-References..

MITSUBISHI	A 860 T 22370
	MD611479
MOBILETRON	RM-20HV
WAI	31-8375
CARGO	132468
TRANSP0	IMR7564

MIA7511

Diodes: 6-30Ampere
 Without B+ Terminal



MIA7508

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M5×47.5mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A 860 T 19370
	MD611501
MOBILETRON	RM-18
CARGO	135228
TRANSP0	IMR7568

For use on: Mitsubishi Mirage Diesel



MIA7509

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M5×49mm Battery Post
 With Trio

For use on: Dodge Colt, Mitsubishi
 Mirage 1.5L

Original & X-References..

MITSUBISHI	A 860 T 24570
MOBILETRON	RM-19
WAI	31-8361
CARGO	135248
TRANSPO	IMR7570



MIA7510

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M5×44mm Battery Post
 With Trio

For use on: Mazda 323

Original & X-References..

MITSUBISHI	A 860 T 27070
MOBILETRON	RM-10 RM-16
WAI	31-8344
CARGO	135247
UNITPOINT	REC-572
TRANSPO	IMR7572



MIA7512

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 75mm
 With Trio

For use on: Honda Civic, Del Sol

Original & X-References..

MITSUBISHI	A5T04292
	A860T38570
MOBILETRON	RM-27
WAI	31-8370
CARGO	232606
TRANSPO	IMR7584



MIA7513

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

For use: Mazda 929

Original & X-References..

MITSUBISHI	A860X20099
MOBILETRON	RM-24
WAI	31-8341
CARGO	136733
TRANSPO	IMR7586



MIA7514

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

For use on: Peugeot

Original & X-References..

J&N	172-48098
TRANSPO	IMR7596



MIA7515

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..



MIA7516

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M8×59.5mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A860T46570
	MD61884
MOBILETRON	RM-124
TRANSPO	IMR7588

For use on: 1993-94 Mazda Mitsubishi



MIA7517

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With Trio

Original & X-References..

LUCAS	21513132
MITSUBISHI	A860T13170
	MD607917
MOBILETRON	RM-07
WAI	31-8301
CARGO	132466
TRANSPO	IMR7542

For use on: Mitsubishi, Dodge Truck,
 Plymouth



MIA7518

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M8×59.5mm Battery Post
 With Trio

Original & X-References..



MIA7519

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..



MIA7520

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×47.5mm Battery Post
 With Trio

Original & X-References..



MIA7521

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..



MIA7522

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 75mm
 With M5×44mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A866X45281
	A5T06391
MOBILETRON	RM-28
WAI	31-8371
TRANSPO	IMR7576

For use on: Honda Civic



MIA7523

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With Trio
 For use on: Nissan 200SX, Pulsar,
 Maxima, Stanza

Original & X-References..

MITSUBISHI	A860T17270
MOBILETRON	RM-09
NISSAN	2312408E16
WAI	31-8319
CARGO	132467
TRANSPO	IMR7548



MIA7524

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M5×44mm Battery Post
 With Trio
 For use on: Nissan, Mazda323, Mazda
 MX, Mercury Tracer

Original & X-References..

MITSUBISHI	A860T20270
NISSAN	2312458L10
MOBILETRON	RM-12
WAI	31-8324
CARGO	132792
TRANSPO	IMR7552



MIA7525

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

For use on: Nissan 300ZxR

Original & X-References..

MITSUBISHI	A860T16470
NISSAN	2312442L71
MOBILETRON	RM-17
WAI	31-8342
CARGO	133539
TRANSPO	IMR7554



MIA7526

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

For use on: Nissan Pulsar

Original & X-References..

MITSUBISHI	A860T27270
MOBILETRON	RM-14
WAI	31-8337
CARGO	134295
TRANSPO	IMR7560



MIA7527

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 With Trio

For use on: Mitsubishi 50-70 Amp IR/IF
 Alternators

Original & X-References..

MITSUBISHI	A5T03391
	A5T05091
	A5T07091
	A5TA0391
LESTER	13336 13587
	13415
WAI	31-8376
TRANSPO	IMR7582



MIA7529

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 75mm
 With M6×49.5mm Battery Post
 Without Trio

Original & X-References..

MITSUBISHI	A860X83370
MOBILETRON	RM-136
CARGO	235297
TRANSPO	IMR7579



MIA7530

FEATURES

Diodes: 8-30A Avalanche
 Mounting Length: 75mm
 With M5×44mm Battery Post
 Without Trio

Original & X-References..

MITSUBISHI	A005TA6392C
	CA16651IR
CARGO	235526



MIA7531

FEATURES

Diodes: 6-30A Avalanche
 Mounting Length: 75mm
 With M5×44mm Battery Post
 Without Trio

Original & X-References..

MITSUBISHI	A001TA3392C
	CA1832IR
CARGO	236741



MIA7532

FEATURES

Diodes: 6-30Ampere
 Mounting Length: 75mm
 With M5×44mm Battery Post
 With Trio

Original & X-References..

WAI	31-8360
MITSUBISHI	A5T01577
	A5T03677
TRANSPO	IMR7580



MIA7533

FEATURES

Diodes: 8-35Ampere
 Mounting Length: 75mm
 With M5×44mm Battery Post
 Without Trio

Original & X-References..

MOBILETRON	RM-145
TRANSPO	IMR7581



MIA7534

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 75mm
 With M8×59.5mm Battery Post
 Without Trio

Original & X-References..



MIA7535

FEATURES

Diodes: 6-30A Avalanche
 Mounting Length: 75mm
 With M5×44mm Battery Post
 Without Trio

Original & X-References..



MIA7536

FEATURES	Original & X-References..	
Diodes : 6-30A Avalanche	CARGO	235527
Mounting Length : 75mm		
With M5×44mm Battery Post		
Without Trio		
Without Capacitor		



MIA7537

FEATURES	Original & X-References..	
Diodes : 8-30A Ampere	MITSUBISHI	A5TA7091
Mounting Length : 75mm	GAUSS	GA1383
With M6×49.5mm Battery Post		
Without Trio		
Without Capacitor		



MIA7538

FEATURES	Original & X-References..	
Diodes : 6-30A Ampere		
Mounting Length : 75mm		
With M6×49.5mm Battery Post		
Without Trio		
Without Capacitor		



MIA7540

FEATURES	Original & X-References..	
Diodes:8-30A Ampere		
Mounting Length : 75mm		
With M6×49.5mm Battery Post		
Without Capacitor		
Without Trio		



MIA7542

FEATURES	Original & X-References..	
Diodes:6-30A Ampere	TRANSPO	IMR7590
Mounting Length : 75mm		
With M5×44mm Battery Post		
With Trio		
With Capacitor		

MIA7543



FEATURES

Diodes:8-30A Ampere
Mounting Length : 75mm
With M6×49.5mm Battery Post
Without Trio
Without Capacitor

Original & X-References..

MIA7544



FEATURES

Diodes: 6-30A Ampere
Mounting Length: 75mm
With M5×41mm Battery Post
Without Trio
Without Capacitor

Original & X-References..

MIA7545



FEATURES

Diodes: 6-30A Ampere
Mounting Length: 75mm
With M5×44mm Battery Post
Without Trio
Without Capacitor

Original & X-References..

MIA7546



FEATURES

Diodes: 8-30A Avalanche
Mounting Length: 75mm
With M5×44mm Battery Post
Without Trio
Without Capacitor

Original & X-References..

MIA7549



FEATURES

Diodes:8-30A Ampere
Mounting Length: 75mm
With M5×49mm Battery Post
With Trio
With Capacitor

Original & X-References..



MIA7550

FEATURES	Original & X-References..
Diodes:6-30A Ampere	JA1181IR
Mounting Length: 75mm	
With M6×49.5mm Battery Post	
Without Trio	
Without Capacitor	



MIA7552

FEATURES	Original & X-References..
Diodes:8-30A Avalanche	
Mounting Length: 75mm	
With M5×41mm Battery Post	
Without Trio	
Without Capacitor	



MIA8501

FEATURES	Original & X-References..
Diodes: 6-30Ampere	MITSUBISHI A 860 T 28670
Mounting Length: 85mm	WAI 31-8318
With Trio	CARGO 134297
	MOBILETRON RM-29
For use on: Ford Tempo, Taurus, Mercury Topaz, Sable	TRANSPO IMR8540



MIA8502

FEATURES	Original & X-References..
Diodes: 6-30Ampere	FORD E8PZ10304A
Mounting Length: 85mm	WAI 31-8327
With M6×49.5mm Battery Post	MOBILETRON RM-30
With Trio	CARGO 233511
	TRANSPO IMR8542
For use on: Ford Thunderbird	

MIA8512

Diodes: 8-30 Ampere	TRANSPO IMR85104
---------------------	------------------



MIA8503

FEATURES	Original & X-References..
Diodes: 6-30 Ampere	MITSUBISHI A 860 T 31370
Mounting Length: 85mm	WAI 31-8336
With M6×49.5mm Battery Post	MOBILETRON RM-31
With Trio	CARGO 135041
	TRANSPO IMR8544
For use on: Mazda MPV	IMR8546

MIA8511

Diodes: 8-30 Ampere	TRANSPO IMR8574
---------------------	-----------------



MIA8505

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 With Trio

For use on: Ford Escort, Mazda 323

Original & X-References..

MITSUBISHI	A 860 T 38270
	B36618W60A
WAI	31-8380
CARGO	136977
MOBILETRON	RM-38
TRANSPO	IMR8548



MIA8506

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 85mm
 With M8×54mm Battery Post
 With Trio

Original & X-References..

MIA8507

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M8×54mm Battery Post
 With Trio
 For use on: Mazda 626, MX6

MIA8524

Diodes: 6-30 Ampere
 Without Trio

MIA8508

Diodes: 8-30 Ampere

Original & X-References..

SAS COMPONENTS	7709
MOBILETRON	RM-37
WAI	31-8350
CARGO	137861
TRANSPO	IMR8580



MIA8509

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 Without Trio
 For use on: Subaru XT

Original & X-References..

RENARD	11399	19710
WAI	31-8388	
CARGO	135249	
MOBILETRON	RM-33	
TRANSPO	IMR8572	



MIA8510

Diodes: 8-30 Ampere
 With Trio

MIA8513

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A2T14591
	A2T28792
TRANSPO	IMR85106

For use on: Subaru XT





MIA8514

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M8×54mm Battery Post
 Without Capacitor
 Without Trio
 For use on: Mazda Protege

MIA8530

Diodes: 8-30 Ampere

Original & X-References..

MITSUBISHI	A860T57870
MOBILETRON	RM-110HV
WAI	31-8382
CARGO	138873
LESTER	13718
TRANSPO	IMR8566
	IM341
TRANSPO	IMR85668



MIA8515

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M8×54mm Battery Post
 With Trio
 For use on: Mitsubishi Eclipse, Eagle Talon

MIA8517

Diodes: 8-30 Ampere

Original & X-References..

MITSUBISHI	A2TA08912C
WAI	31-8363
TRANSPO	IMR8588



MIA8516

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M6×49.5mm Battery Post
 With Trio
 For use on: Chrysler Imports, Mitsubishi

MIA8547

Diodes: 8-30 Ampere

Original & X-References..

MITSUBISHI	A 860 T 38770
	MD618568
WAI	31-8367
CARGO	136979
MOBILETRON	RM-36 RM-57
TRANSPO	IMR8590
	IM832



MIA8518

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 With Trio

For use on: Mazda 626

Original & X-References..

MITSUBISHI	A860T38970
WAI	31-8381
CARGO	135948
MOBILETRON	RM-58
TRANSPO	IMR85100



MIA8519

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 Without Capacitor
 Without Trio

Original & X-References..



MIA8521

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 85mm
 With M8×54mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A860T42670
CARGO	137076
TRANSPO	IMR8594

MIA8525

Diodes: 6-30 Ampere



MIA8526

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×49mm Battery Post
 With "W" Terminal
 With Trio

Original & X-References..

With Capacitor

MIA8520

Without "W" Terminal



MIA8527

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 Without Trio/Capacitor

Original & X-References..



MIA8528

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M6×49.5mm Battery Post
 With "W" Terminal
 With Trio

Original & X-References..



MIA8529

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M8×54mm Battery Post
 With Trio
 Without Capacitor

Original & X-References..



MIA8531

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 Without Trio/Capacitor

Original & X-References..



MIA8532

FEATURES

Diodes: 6-35 A Avalanche
 Mounting Length: 85mm
 With M5×44mm Battery Post
 Without Trio

Original & X-References..



MIA8533

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 85mm
 With M6×49.5mm Battery Post
 Without Trio
 For use on: Avenger, Cirrus, Neon,
 Sebring
MIA8537 6-30 Ampere
 With M6×60mm Battery Post
MIA8538 8-30 Ampere
 With Trio

Original & X-References..

MITSUBISHI	
A2T81192	A2T3791
A2TA749	A2T7491
WAI	31-8374
TRANSPO	IMR8597
TRANSPO	IMR8596
TRANSPO	IMR8598



MIA8534

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 With Trio
 For use on: Ford, Mazda

Original & X-References..

MITSUBISHI	A860T39170
WAI	31-8351
MOBILETRON	RM-39
CARGO	136978
TRANSPO	IMR8592



MIA8535

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×49mm Battery Post
 With Trio

Original & X-References..

MITSUBISHI	A860T29370
TRANSPO	IMR8578

For use on: Mitsubishi



MIA8536

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M6×43.5mm Battery Post
 Without Trio/Capacitor

Original & X-References..

MITSUBISHI	A2TB2991
MOBILETRON	RM-135
TRANSPO	IMR8595



MIA8539

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..



MIA8540

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 With Trio

Original & X-References..



MIA8541

FEATURES

Diodes: 8-35A Avalanche
 Mounting Length: 85mm
 With M5×44mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..



MIA8542

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 85mm
 With M6×47.5mm Battery Post
 With Trio
 Capacitor

Original & X-References..



MIA8543

FEATURES

Diodes: 6-30Ampere
 Mounting Length: 85mm
 With M8×59.5mm Battery Post
 With Trio
 With Capacitor

Original & X-References..

JFZ180A



MIA8544

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 85mm
 With M5×44mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA8545

FEATURES

Diodes: 6-30Ampere
 Mounting Length: 85mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..



MIA8546

FEATURES

Diodes: 6-30Ampere
 Mounting Length: 85mm
 With M6×49.5mm Battery Post
 With Trio

Original & X-References..



MIA8549

FEATURES

Diodes : 8-30A Ampere
 Mounting Length :85mm
 With M6×49.5mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..

TRANSPO IMR8585



MIA8551

FEATURES

Diodes : 8-30A Ampere
 Mounting Length :85mm
 With M6×47.5mm Battery Post
 With Trio
 With Capacitor

Original & X-References..

MIA8552



FEATURES

Diodes : 8-30A Ampere
 Mounting Length :85mm
 With M6×60mm Battery Post
 Without Trio
 With Capacitor

Original & X-References..

WAGNER	W065-168
CHRYLER	4609101
LESTER	13575
TRANSPO	IMR8597

MIA8553



FEATURES

Diodes:6-30A Ampere
 Mounting Length : 85mm
 With M5×44mm Battery Post
 With Trio
 With Capacitor

Original & X-References..

MOBILETRON	RM-94
MITSUBISHI	A860T06870

MIA8554



FEATURES

Diodes:6-30A Avalanche
 Mounting Length : 85mm
 With M8×54mm Battery Post
 Without Capacitor
 Without Trio

Original & X-References..

MIA8555



FEATURES

Diodes:8-30A Avalanche
 Mounting Length : 85mm
 With M8×54mm Battery Post
 Without Capacitor
 Without Trio

Original & X-References..



MIA8556

FEATURES

Diodes :8-30 Ampere
 Mounting Length : 85mm
 With M6×49.5mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA8558

FEATURES

Diodes:6-30 Ampere
 Mounting Length : 85mm
 With M8×54mm Battery Post
 With Trio

Original & X-References..

ALTERNATOR A002TA8891
 GA1340



MIA8559

FEATURES

Diodes:6-30A Ampere
 Mounting Length : 85mm
 With M8×49mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA8564

FEATURES

Diodes:6-30A Ampere
 Mounting Length: 85mm
 With M6×60mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..




MIA8565

FEATURES

Diodes:8-30A Ampere
 Mounting Length: 85mm
 With M6×43.5mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..



MIA9001

FEATURES

Diodes: 6-30 A Avalanche
 Mounting Length: 90mm
 With M8×45.6mm Battery Post
 With Trio

MIA9002

Diodes: 8-30A Avalanche

MIA9006

Diodes :6-30A Ampere

MIA9008

Diodes:8-30A Avalanche

Original & X-References..

VALEO	TA000A48401
	TA000A48402
TRANSPO	IYR9003



MIA10001

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 100mm
 With M6×49.5mm Battery Post
 With Trio

For use on: Ford Thunderbird, Mercury Cougar, Hyundai Alliance

Original & X-References..

FORD	E9PZ10304B
MOBILETRON	RM-41
WAI	31-8329
CARGO	135252
TRANSPO	IMR10040



MIA10002

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 100mm
 With Trio

For use on: Mitsubishi Van & Wagon, Dodge Eagle, Chrysler Imports

Original & X-References..

MITSUBISHI	A 860 T 23070	A 860 T 28070
	MD602227	MD611564
MOBILETRON	RM-40	
WAI	31-8325	
CARGO	132793	
TRANSPO	IMR10042	



MIA10003

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 100mm
 With M5×44mm Battery Post
 With Trio

For use on: Subaru XT

Original & X-References..

MITSUBISHI	A 860 T 30170
MOBILETRON	RM-42
WAI	31-8338
CARGO	135229
TRANSPO	IMR10044



MIA10004

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 100mm
 With M5×44mm Battery Post
 With Trio
 With Capacitor

MIA10019

MIA10075

With M6×49.5mm Battery Post

Original & X-References..



MIA10005

FEATURES

Diodes: 6-30 Ampere
 Mounting Length: 100mm
 With M6×49.5mm Battery Post
 With Trio/Capacitor
 For use on: Mitsubishi 3000GT,
 Diamante

MIA10006

Diodes: 8-30Ampere

Original & X-References..

<p> MITSUBISHI A 860 T 36070 MD618422 CARGO 139269 TRANSPO IMR10048 TRANSPO IMR10050 </p>




MIA10007

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 100mm
 With M8×54mm Battery Post
 With Trio/Capacitor
 For use on: Ford Taurus SHO

Original & X-References..

<p> MITSUBISHI A 860 T 42070 MOBILETRON RM-48 WAI 31-8358 CARGO 135900 TRANSPO IMR10060 </p>
--



MIA10008

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M6×49.5mm Battery Post
 With Trio/Capacitor
 For use on: Ford Taurus SHO

Original & X-References..

<p> MITSUBISHI A 860 T 42070 MOBILETRON RM-47 WAI 31-8357 TRANSPO IMR10062 </p>
--

MIA10038

Diodes: 6-30Ampere



MIA10009

FEATURES

Diodes: 8-30 Ampere
 Mounting Length: 100mm
 With M8×54mm Battery Post
 With Trio/Capacitor
 For use on: Mazda 929

Original & X-References..

<p> MITSUBISHI A 860 T 36770 JE4818W60B MOBILETRON RM-45 WAI 31-8355 CARGO 135901 TRANSPO IMR10066 IM830 TRANSPO IMR10096 </p>

MIA10012

Diodes: 6-30Ampere



MIA10010

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M5×44mm Battery Post
 With Trio

Original & X-References..

<p> MITSUBISHI A 860 T 40270 MOBILETRON RM-49 WAI 31-8366 TRANSPO IMR10068 </p>
--

For use on: Mazda RX7 Turbo

MIA10011



FEATURES

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M6×49.5mm Battery Post
With Trio/Capacitor

Original & X-References..

MITSUBISHI	A 3T14292
MOBILETRON	RM-125HV
WAI	31-8373
TRANSPO	IMR10088

MIA10013



FEATURES

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8×59.5mm Battery Post
With Trio
Without Capacitor

Original & X-References..

MIA10016

Diodes: 8-30Ampere
With M5×35mm Mounting Bolt

MIA10014



FEATURES

Diodes: 6-30 Ampere
Mounting Length: 100mm
With M8×54mm Battery Post
With Trio
Without Capacitor

Original & X-References..

MIA10015



FEATURES

Diodes: 8-30 Ampere
Mounting Length: 100mm
With Trio
Without Capacitor
For use on: Ford Transit

Original & X-References..

FORD	98VB10K359BB
MITSUBISHI	A3TN1791
MOBILETRON	RM-99HV
CARGO	231079
TRANSPO	IMR10057 IM757


MIA10017



FEATURES

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8×54mm Battery Post
With Trio

Original & X-References..



MIA10018

FEATURES

Original & X-References..

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8×54mm Battery Post
With "W" Terminal
With Trio

MIA10021

Diodes: 6-30Ampere



MIA10020

FEATURES

Original & X-References..

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M5×44mm Battery Post
With Trio
Without Capacitor
For use on: Ford Ambulance and
Emergency

MIA10030

With Capacitor



MIA10022

FEATURES

Original & X-References..

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8×54mm Battery Post
With Trio/Capacitor



MIA10023

FEATURES

Original & X-References..

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8×59.5mm Battery Post
With M5×35mm Mounting Bolt
With Trio
Without Capacitor



MIA10025

FEATURES

Original & X-References..

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M6×49.5mm Battery Post
With Trio/ Capacitor

MIA10031



FEATURES

Diodes: 8-35Ampere
Mounting Length: 100mm
With M8×54mm Battery Post
With Trio
Without Capacitor

Original & X-References..

MIA10028



FEATURES

Diodes: 8-30Ampere
Mounting Length: 100mm
With M8×59.5mm Battery Post
With Trio/Capacitor

Original & X-References..

MIA10029



FEATURES

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M5×44mm Battery Post
With Trio
For use on: Ford Probe, Mazda626,
Mazda MX6

Original & X-References..

FORD	F32Z10346B
mitsubishi	A860T38670
	A860T40270
WAI	31-8356
CARGO	135882
TRANSP0	IMR10064

MIA10047

Diodes: 6-30 Ampere

MIA10032



FEATURES

Diodes: 8-30Ampere
Mounting Length: 100mm
With M8×59.5mm Battery Post
With Trio/Capacitor

Original & X-References..

MIA10033



FEATURES

Diodes: 8-35 A Avalanche
Mounting Length: 100mm
With M8×54mm Battery Post
Without Trio
With Capacitor

Original & X-References..



MIA10034

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M6×60mm Battery Post
 With Trio/ Capacitor

Original & X-References..



MIA10035

FEATURES

Diodes: 8-35 A Avalanche
 Mounting Length: 100mm
 With M8×59.5mm Battery Post
 Without Trio/ Capacitor
 For use on: 1999-2001Mercury Villager
 Van3.3L(125A)

Original & X-References..

MIA10036

Diodes:8-30 Ampere

MIA10046

Diodes:8-30Ampere
 With Capacitor

J&N	172-48108
MOBILETRON	RM-134
TRANSP0	IMR10058



MIA10037

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M5×44mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA10039

FEATURES

Diodes: 6-30Ampere
 Mounting Length: 100mm
 With M8×59.5mm Battery Post
 With Trio
 With Capacitor

Original & X-References..

MITSUBISHI	A860X47070
MOBILETRON	RM-116
CARGO	139111

MIA10049

Diodes: 8-30Ampere



MIA10041

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M8×59.5mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA10042

FEATURES

Diodes: 6-30Ampere
 Mounting Length: 100mm
 With M5×44mm Battery Post
 With Trio
 With Capacitor

Original & X-References..

CARGO 236816



MIA10043

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M6×44.5mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..

MOBILETRON RM-127
 TRANSPO IMR10081



MIA10044

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M6×60mm Battery Post
 Without Trio/Capacitor

Original & X-References..

MOBILETRON RM-131HV
 TRANSPO IMR10090

MIA10045

Diodes: 8-30Ampere
 With Capacitor



MIA10048

FEATURES

Diodes: 8-30Ampere
 Mounting Length: 100mm
 With M5×44mm Battery Post
 Without Trio/Capacitor

Original & X-References..



MIA10050

FEATURES

Diodes : 8-30A Ampere
 Mounting Length : 100mm
 With M6×49.5mm Battery Post
 With Trio
 With Capacitor

Original & X-References..

MIA10051



FEATURES

Diodes :8-35A Avalanche
Mounting Length : 100mm
With M8×54m Battery Post
Without Trio
Without Capacitor

Original & X-References..

MIA10052



FEATURES

Diodes : 8-30 Ampere
Mounting Length : 100mm
With M5×44mm Battery Post
Without Trio
Without Capacitor

Original & X-References..

MIA10053



FEATURES

Diodes : 8-30A Ampere
Mounting Length : 100mm
With M6×60mm Battery Post
With Trio
With Capacitor

Original & X-References..

MIA10054



FEATURES

Diodes : 8-30 Ampere
Mounting Length : 100mm
With M6×60mm Battery Post
With Trio
With Capacitor

Original & X-References..

MIA10057



FEATURES

Diodes:8-35A Avalanche
Mounting Length : 100mm
With M5×44mm Battery Post
Without Trio
Without Capacitor

Original & X-References..



MIA10062

FEATURES

Diodes : 8-30A Ampere
 Mounting Length : 100mm
 With M6×44.5mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..




MIA10063

FEATURES

Diodes:6-30A Ampere
 Mounting Length : 100mm
 With M8×54mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..

J&N 172-48104
 TRANSPO IMR10067



MIA10064

FEATURES

Diodes:8-30 Ampere
 Mounting Length : 100mm
 With M8×59.5mm Battery Post
 With Trio (6A)
 Without Capacitor

Original & X-References..



MIA10065

FEATURES

Diodes:8-30 Ampere
 Mounting Length : 100mm
 With M5×44mm Battery Post
 With Trio
 With Capacitor

Original & X-References..



MIA10067

FEATURES

Diodes : 6-40A Avalanche
 Mounting Length : 100mm
 With M8×59.5mm Battery Post
 Without Trio
 Without Capacitor

Original & X-References..

11052

MIA10071



FEATURES

Diodes:8-30 Ampere
Mounting Length: 100mm
With M8×54mm Battery Post
With "W" Terminal
With Trio
With Capacitor

Original & X-References..

MIA10074



FEATURES

Diodes:6-30 Ampere
Diameter OD: 100mm
With M5×44mm Battery Post
Without Trio
Without Capacitor

Original & X-References..

11118

MIP7001



FEATURES

Diodes: 4-30 Ampere Block
Mounting Length: 70mm
Stamped steel heat sink
Fore use on: MITSUBISHI

Original & X-References..

IW700	2800
HINO	27700-1700
SAWAFUJI	1219-008-00XOSF
NISSAN	23500-E9007

MIP7002

Diodes: 6-30Ampere Block

MIP7103F



FEATURES

Diodes: 6-35 Ampere Button
Mounting Length: 71mm
With Trio
Without Capacitor

For use on: Chrysler , Dodge ,Plymouth

Original & X-References..

MITSUBISHI	
3446828100	A001T02871
A001T22771	A001T23283
MOBILETRON	MR-59
WAI	31-8308
CARGO	132087
TRANSPO	IMR7111

MIP7101F

Diodes: 6-35Ampere (7650/7651)

MIP7104F



FEATURES

Diodes: 6-35 Ampere Button
Mounting Length: 71mm
With M5×43mm Battery Post
With Trio
Without Capacitor

Original & X-References..

MITSUBISHI	A860T09470
MOBILETRON	RM-88
WAI	31-8389
CARGO	138974
TRANSPO	IMR7117

For use on: Nissan Pickup, Pulsar



MIP7106F

FEATURES

Diodes: 6-35 Ampere Button
 Mounting Length: 71mm
 With M5×35mm Battery Post
 With Trio
 Without Capacitor

Original & X-References..



MIP7107F

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 71mm
 With M5×51mm Battery Post
 With Trio

Original & X-References..



MIP7108F

FEATURES

Diodes: 6-35 Ampere Button
 Mounting Length: 71mm
 With M5×35mm Battery Post
 With Trio
 Without Capacitor

Original & X-References..



MIP8001L

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 80mm
 With M5×43mm Battery Post
 With Trio
 With Aluminum Heat sinks

Original & X-References..

MIP8001

Diodes: 6-35Ampere
 With Copper Heat sinks

MITSUBISHI	A860T08270
MOBILETRON	RM-65
WAI	31-8313
CARGO	132130
TRANSPO	IMR8041



MIP8002L

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 80mm
 With M5×51mm Battery Post
 With Trio
 With metal
 With Aluminum Heat sinks

Original & X-References..

MIP8002

Diodes: 6-35Ampere
 With Copper Heat sinks



MIP8003L

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 80 mm
 With Trio
 With Aluminum Heat sinks
 For use on: Dodge Trucks, Mazda,
 Mitsubishi, Plymouth

MIP8003

Diodes: 6-35Ampere
 With Copper Heat sinks

Original & X-References..

MITSUBISHI	
A 860 T 06070	A 860 T 06082
MD607568	A 860 T 06470
MOBILETRON	RM-66
WAI	31-8310
CARGO	131221 131541
TRANSPO	IMR8043



MIP8004L

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 80mm
 With M5×51mm Battery Post
 With Trio
 With Aluminum Heat sinks
 For use on: Mazda GLC

MIP8004

Diodes: 6-35Ampere
 With Copper Heat sinks

Original & X-References..

MITSUBISHI	A 860 T 10770
MOBILETRON	RM-67
WAI	31-8315
CARGO	131532
TRANSPO	IMR8045



MIP8005L

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 80mm
 With Trio
 With Aluminum Heat sinks
 For use on: Nissan Vans, Nissan March

MIP8005

Diodes: 6-35Ampere
 With Copper Heat sinks

Original & X-References..

MITSUBISHI	A 860 T 08470
MOBILETRON	RM-85
WAI	31-8390
CARGO	131543
TRANSPO	IMR8011



MIP8006

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 80mm
 With M5×43mm Battery Post
 With Trio
 With Copper Heat sinks

Original & X-References..



MIP8007L

FEATURES

Diodes: 6-35 Ampere
 Mounting Length: 80mm
 With M5×43mm Battery Post
 With Trio
 With Aluminum Heat sinks
 For use on: Mitsubishi Motors

MIP8007

Diodes: 6-35Ampere
 With Copper Heat sinks

Original & X-References..

MITSUBISHI	ME700555
	A860T14570
MOBILETRON	RM-86
CARGO	136726
TRANSPO	IMR8047

MIP8008L



FEATURES

Diodes: 6-35 Ampere
Mounting Length: 80mm
With M5×51mm Battery Post
With Trio
With Aluminum Heat sinks
For use on: Dodge Trucks, Mitsubishi

Original & X-References..

MITSUBISHI	A 860 T 08270
	MD607616
MOBILETRON	RM-65
WAI	31-8313
CARGO	132130
TRANSPO	IMR8041

MIP8008

Diodes: 6-35Ampere
With Copper Heat sinks

MIP8501



FEATURES

Diodes: 6-35 Ampere
Mounting Length: 85mm
With Trio
With Copper Heat sinks

For use on: Dodge, Mazda, Mitsubishi,
Plymouth

Original & X-References..

MITSUBISHI	A 860 T 03970	A 860T05170
	MD607370	MD607441
MOBILETRON		RM-68
WAI		31-8314
CARGO		130833
TRANSPO		IMR8511

MIP8502



FEATURES

Diodes: 6-35 Ampere
Mounting Length: 85mm
With Trio
With Copper Heat sinks

For use on: Mazda 626, Dodge Truck

Original & X-References..

MITSUBISHI	A 860 T 08370	A 860 T 10470
	MD607693	A 860 T 09370
MOBILETRON		RM-83
WAI		31-8311
CARGO		131545
TRANSPO		IMR8541

MIP8503



FEATURES

Diodes: 6-35 Ampere
Mounting Length: 85 mm
With M5×43mm Battery Post
With Trio
With Copper Heat sinks

For use on: Mitsubishi Mirage Turbo,
Mazda Diesel 626

Original & X-References..

MITSUBISHI	2323004D00	A 860 T 08770
	A 860 T 15170	MD607680
MOBILETRON		RM-73
WAI		31-8331
CARGO		132463
TRANSPO		IMR8545

MIP8504



FEATURES

Diodes: 6-35 Ampere
Mounting Length: 85mm
With Trio
With Copper Heat Sinks

For use on: Mazda GLC Sedan

Original & X-References..

MITSUBISHI	A002T23471
MOBILETRON	RM-69
WAI	31-8304
CARGO	131544
TRANSPO	IMR8571

MIP8505



FEATURES

Diodes: 6-35 Ampere
Mounting Length: 85mm
With M5×43mm Battery Post
With Trio
With Copper Heat sinks

Original & X-References..

MIP8506



FEATURES

Diodes: 6-35 Ampere
Mounting Length: 85mm
With M5×43mm Battery Post
With Trio
With Aluminum Heat Sinks

Original & X-References..

MIP10001



FEATURES

Diodes: 6-50 Ampere
Mounting Length: 100mm
With Trio
With Copper Heat Sinks

Original & X-References..

MITSUBISHI	A003T34077
MOBILETRON	RM-74
WAI	31-8306
CARGO	131547
TRANSPO	IMR10041

For use on: Mazda 626, Plymouth
Coquest

MIP10002



FEATURES


Diodes: 6-50 Ampere
Mounting Length: 100mm
With Trio
Without Capacitor

Original & X-References..

MITSUBISHI	A860T07370
	A860T04170
MOBILETRON	RM-75
WAI	31-8307
CARGO	131227
TRANSPO	IMR10011

For use on: Dodge, Mazda

MIP10003



FEATURES

REC MI
Diodes: 6-50 Ampere
Mounting Length: 100mm
With M5×43mm Battery Post
With Trio
With Copper Heat Sinks

Original & X-References..

MITSUBISHI	A860T11770
MOBILETRON	RM-76
J&N	172-48005
WAI	31-8378
CARGO	132464
TRANSPO	IMR10043

For use on: Nissan Bluebird 2000
Diesel



MOP3000

FEATURES

Diodes: 8-60Ampere

Original & X-References..



MOP3001

FEATURES

Diodes: 8-50 Ampere
With Trio

Original & X-References..

MOP3005

Diodes: 6-50Ampere



MOP3006

FEATURES

Diodes: 6-50 Ampere

Original & X-References..

TRANSPO MR6206



MOP3006A

FEATURES

Diodes: 6-50A Avalanche

Original & X-References..

LESTER 8058 8328
8329 8410
TRANSPO MR6255

MOP3006B

For 24V Alternators



MOP6041

FEATURES

Diodes: 3-35Ampere
With 2—37.2×3/16" Bolt
Negative Rectifier
For: Motorola A/8AL, HA/8HA,
RA/8AR Series Alternators w/Isolation

Original & X-References..

MOTOROLA 101-106 101-107
101-11
LESTER 7091 7099
7353 7353
7361 7365
WAI 31-403
CARGO 131888
TRANSPO MR6041



MOP6064

FEATURES

Diodes: 3-35Ampere
 With 2—37.2×3/16" Bolt
 Positive Rectifier
 For: Motorola 60-70 Amp/12 Volt
 Alternators
 For use on: Farm, Industrial, Marine
 Applications

Original & X-References..

MOTOROLA	101-147	101-149
	101-17	
LESTER	7376	
WAI	31-408	
CARGO	131893	
TRANSPO	MR6064	



MOP6065

FEATURES

Diodes: 3-35Ampere
 With 2—37.2×3/16" Bolt
 Negative Rectifier
 For: Motorola 60-70 Amp/12 Volt
 Alternators
 For use on: Farm, Industrial, Marine
 Applications

Original & X-References..

MOTOROLA	101-148	101-47
LESTER	7376	
WAI	31-407	
CARGO	131892	
TRANSPO	MR6065	



MOP6072

FEATURES

Diodes: 3-50Ampere
 With 50.3×1/4" Bolt
 Positive Rectifier
 For: Motorola Alternators
 For use on: Industrial Equipment

Original & X-References..

MOTOROLA	101-162	101-187
LESTER	7417	
WAI	31-406-1	
CARGO	131891	
TRANSPO	MR6072	



MOP6300

FEATURES

Diodes: 1-25Ampere
 With 35×1/4" Bolt
 Negative Rectifier

Original & X-References..

MOTOROLA	101-23	101-3
	101-58	37438
LESTER	7356	7357
	7362	7364
CARGO	131885	
TRANSPO	MR6300	



MOP6301

FEATURES

Diodes: 2-25Ampere
 With 35×1/4" Bolt
 Negative Rectifier

Original & X-References..

MOTOROLA	101-13	101-29
	101-65	10959
LESTER	7356	7357
	7362	7364
CARGO	131886	
TRANSPO	MR6301	



MOP6001

FEATURES

Diodes:3-35Ampere
Positive Rectifier

Original & X-References..

3109-1018

MOP6002

Diodes:3-35Ampere
Negative Rectifier

3109-1013



MOP6000

FEATURES

Diodes:6-35Ampere

Original & X-References..



MOP13001

FEATURES

Diodes : 8-35Ampere
With M5×16.5mm Battery Post

Original & X-References..



NPD8301

FEATURES

Diodes: 8-35 Ampere
Diameter OD: 83mm
With M6 Battery Post

Original & X-References..

NIPPONDENSO	021580-3110
MOBILETRON	RN-18
WAI	31-8221
CARGO	137872
TRANSPO	INR718

For use on: Industrial



NPD8303

FEATURES

Diodes: 8-35 Ampere Dish Diode
Diameter OD: 83mm
With M6×44mm Battery Post

Original & X-References..

NIPPONDENSO	100211-4640
100211-1670	100211-4650
TOYOTA	1624164011
MOBILETRON	RN-26
TRANSPO	INR716

For use on: Industrial



NPD8701

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 87mm
 With M6 Battery Post

For use on: Tractors,
 TOYOTA 27060-DF020

Original & X-References..

NIPPONDENSO	100211-1680	100211-0610
	121000-4230	121000-4250
MOBILETRON		RN-40
CARGO		134306
TRANSPO		INR723



NPD8702

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 87mm
 With M6 Battery Post

For use on: Isuzu I-Mark, Toyota Teral ,
 4-Runner

Original & X-References..

NIPPONDENSO	021580-3130
TOYOTA	27375-72150
MOBILETRON	RN-15
WAI	31-8200
ISUZU	8-94449-781-1
CARGO	132540
TRANSPO	INR724



NPD8703

FEATURES

Diodes: 8-35 A Avalanche
 Diameter OD: 87mm
 With M8x41.9mm Battery Post

Original & X-References..



NPD9001

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 90mm
 With M6 Battery Post
 With Mounting Hole for Ground Strap

For use on: Honda Civic, CRX, Toyota
 Tercel, Acura

Original & X-References..

NIPPONDENSO	021580-2250
WAI	31-8205
CARGO	132541
MOBILETRON	RN-16
TOYOTA	27375-6340
TRANSPO	INR725



NPD9002

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 90mm
 With M6x44mm Battery Post

For use on: Geo Spectrum, Isuzu I-Mark

Original & X-References..

NIPPONDENSO	100211-1220
	100211-1330
100211-1330	100211-3720
WAI	31-8206
CARGO	135258
MOBILETRON	RN-17
ISUZU	16231-64851
TRANSPO	INR726



NPD10001

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 100mm
 For use on: Acura, Honda, Isuzu,
 Toyota, Sterling

NPD10001F
 With Steel Heat sinks

Original & X-References..

NIPPONDENSO	021580-2160
021580-2230	27357-63020
MOBILETRON	RN-13
WAI	31-8201
CARGO	132082
TRANSPRO	INR720



NPD10001L

FEATURES

Diodes:8-35 Ampere
 Diameter OD: 100mm
 With M6 Battery Post
 With Aluminum Heat sinks

Original & X-References..

NIPPONDENSO	021580-2160
021580-2230	27357-63020
MOBILETRON	RN-13
WAI	31-8201
CARGO	132082
TRANSPRO	INR720P



NPD10002

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 100mm
 With M6x40mm Battery Post
 For use on: Geo Strom, Isuzu
 Impulse, Stylus

Original & X-References..

NIPPONDENSO	100211-1070
100211-1100	100211-3120
MOBILETRON	RN-12
RENARD	11264
WAI	31-8211
CARGO	135250
TRANSPRO	INR401



NPD10002L

FEATURES

Diodes:8-35 Ampere
 Diameter OD: 100mm
 With M6x40mm Battery Post
 With Aluminum Heat sinks

Original & X-References..

NIPPONDENSO	100211-1070
100211-1100	100211-3120
MOBILETRON	RN-12
RENARD	11264
WAI	31-8211
CARGO	135250
TRANSPRO	INR401P



NPD10003

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 100mm
 With M6x40mm Battery Post
 With Ground Screw Hole

Original & X-References..

For use on: Geo Strom, Isuzu Impulse,
 Stylus



NPD10004

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 100mm
 With M6 Battery Post
 With Ground Screw Hole

NPD10005

Diodes: 6-35Ampere

Original & X-References..

For use on:
 1996-00 Suzuki Esteem 1.6L
 1997-99 Toyota 4-Runner 2.7L
 TRANSPO INR502



NPD10004L

FEATURES

Diodes: 8-35Ampere Press-fit Diode
 Diameter OD: 100mm
 With M6 Battery Post
 With Ground Screw Hole
 With Aluminum Heat sinks

Original & X-References..

For use on:
 1996-00 Suzuki Esteem 1.6L
 1997-99 Toyota 4-Runner 2.7L
 TRANSPO INR502P



NPD10006

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 100mm
 With M6x44mm Battery Post
 With Mounting Hole for Ground Strap

For use on: Chrysler Laser, LeBaron,
 New Yorker, Dodge600, Aires Caravan,
 Plymouth Acclaim, Reliant, Voyager,
 Turismo

Original & X-References..

NIPPONDENSO	021580-4120
	021580-4490
TOYOTA	27357-74120
	27357-74290
MOBILETRON	RN-14
WAI	31-8204
CARGO	135415
TRANSPO	INR727



NPD10007

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 100mm
 With M6x40mm Battery Post

Original & X-References..



NPD10301

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 103mm
 With M6x44mm Battery Post
 With Mounting Hole for Ground Strap
 For use on: Chrysler Lebaron ,Dodge
 Caravan, spirt, Daytona, Omni

Original & X-References..

NIPPONDENSO	021580-3640
	025180-4660
	025180-4840
MOBILETRON	RN-01
WAI	31-8208
	31-8208-1
CARGO	135417
TRANSPO	INR729

NPD10301L



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere Press-fit Diodes	NIPPONDENSO	021580-3640
Diameter OD: 103mm		025180-4660
With M6×44mm Battery Post		025180-4840
With Mounting Hole for Ground Strap	MOBILETRON	RN-01
With Aluminum Heat sinks	WAI	31-8208
		31-8208-1
	CARGO	135417
	TRANSPO	INR729P

NPD10302



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	NIPPONDENSO	100211-8810
Diameter OD: 103mm		121000-3480
With M6×44mm Battery Post		
For use on: All 1993 Chrysler LH-Cars	WAI	31-8208
	CARGO	135418
NPD10308 8-50 Ampere	TRANSPO	INR403
Nicle Plating		
NPD10311		
Diodes: 6-50 Ampere		

NPD10302L



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere Press-fit Diodes	NIPPONDENSO	100211-8810
Diameter OD: 103mm		121000-3480
With M6×44mm Battery Post		
With Aluminum Heat sinks	WAI	31-8208
	CARGO	135418
	TRANSPO	INR403P

NPD10303



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	NIPPONDENSO	100211-2400
Diameter OD: 103mm		101211-5450
With M8 Battery Post	MOBILETRON	RN-05
With Mounting Hole for Ground Strap	WAI	31-8217
For use on: Volvo Turbo Aircon, Lexus	CARGO	135043
	TRANSPO	INR722

NPD10303L



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere Press-fit Diodes	NIPPONDENSO	100211-2400
Diameter OD: 103mm		101211-5450
With M8 Battery Post	MOBILETRON	RN-05
With Mounting Hole for Ground Strap	WAI	31-8217
With Aluminum Heat sinks	CARGO	135043
	TRANSPO	INR722P



NPD10304

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 103mm
 With M6 Battery Post(31°)

NPD10304-1

8-50 Ampere(36°)

Original & X-References..

NIPPONDENSO	100211-8050
	100211-8710
WAI	31-8212
RENARD	11227
CARGO	133672
TRANSPO	INR731



NPD10304L

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 103mm
 With M6 Battery Post(31°)
 Press-fit Diodes
 With Aluminum Heat sinks

NPD10304L-1

With M6 Battery Post(36°)

Original & X-References..

NIPPONDENSO	100211-8050
	100211-8710
WAI	31-8212
RENARD	11227
CARGO	133672
TRANSPO	INR731P



NPD10305

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 103mm
 With M6 Battery Post
 With Ground Screw Hole
 For use on: Geo Prizm, Toyota Celica,
 Corolla

NPD10305Ag

Diodes: 8-50 A Avalanche dish

Original & X-References..

MOBILETRON	RN-03
RENARD	11262
WAI	31-8212
CARGO	133672
TRANSPO	INR402
CARGO	237663



NPD10305L

FEATURES

Diodes:8-50A Ampere
 Diameter OD: 103mm
 With M6 Battery Post
 With Ground Screw Hole
 With Aluminum Heat sinks

NPD10305L-3

Diodes:6-50A Avalanche

Original & X-References..

MOBILETRON	RN-03
RENARD	11262
WAI	31-8212
CARGO	133672
TRANSPO	INR402P
CARGO	237663



NPD10306

FEATURES

Diodes: 8-50 Ampere
 Diameter OD: 103mm
 With M8x50mm Battery Post
 With Ground Screw Hole
 For use on: Volvo 740 Series 2.3L
 W/Turbo

Original & X-References..

NIPPONDENSO	100211-8620
	100211-8630
	100211-8632
RENARD	11222
WAI	31-8218
	31-8222
CARGO	136741 135418
TRANSPO	INR739

NPD10306L



FEATURES	Original & X-References..	
Diodes:8-50 Ampere	NIPPONDENSO	100211-8620
Diameter OD: 103mm		100211-8630
With M8×50mm Battery Post		100211-8632
With Ground Screw Hole	RENARD	11222
With Aluminum Heat sinks	WAI	31-8218
		31-8222
	CARGO	136741 135418
	TRANSPO	INR739P

NPD11301



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	NIPPONDENSO	021580-4100
Diameter OD: 113mm		021580-4690
With M8 Battery Post	MOBILETRON	RN-08
	WAI	31-8213
For use on: Toyota Land Cruiser	CARGO	137874
	TRANSPO	INR732

NPD11302



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	DENSO	021580-4690
Diameter OD: 113mm		021580-4100
With M8 Battery Post	MOBILETRON	RN-11
With Ground Screw Hole	RENARD	11254
For use on: Lexus SC400, Toyota	WAI	31-8214
NPD11311	CARGO	137874
Diodes: 8-50 Ampere	TRANSPO	INR733
Nicle Plating		

NPD11302L



FEATURES	Original & X-References..	
Diodes:8-50 Ampere	DENSO	021580-4690
Diameter OD: 113mm		021580-4100
With M8 Battery Post	MOBILETRON	RN-11
With Ground Screw Hole	RENARD	11254
With Aluminum Heat sinks	WAI	31-8214
	CARGO	137874
	TRANSPO	INR733P

NPD11303



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	NIPPONDENSO	121000-4000
Diameter OD: 113mm	021580-4820	121000-4010
With M6×44mm Battery Post	MOBILETRON	RN-02
With Ground Screw Hole	WAI	31-8207
	CARGO	135416
	TRANSPO	INR734

NPD11303L



FEATURES	Original & X-References..	
Diodes:8-50 Ampere	NIPPONDENSO	121000-4000
Diameter OD: 113mm	021580-4820	121000-4010
With M6×44mm Battery Post	MOBILETRON	RN-02
With Ground Screw Hole	WAI	31-8207
With Aluminum Heat sinks	CARGO	135416
	TRANSP0	INR734P

NPD11305



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	NIPPONDENSO	121000-4000
Diameter OD: 113mm		121000-4010
With M6×44mm Battery Post	ISUZU	8 8121 8 0330
For use on: Chrysler New Yorker,	MOBILETRON	RN-02
Dodge Caravan, Dynasty, Dodge	WAI	31-8207
Truck, Plymouth Voyager, Acclaim	CARGO	135416
	TRANSP0	INR728

NPD11305L



FEATURES	Original & X-References..	
Diodes:8-50A Ampere	NIPPONDENSO	121000-4000
Diameter OD: 113mm		121000-4010
With M6×44mm Battery Post	ISUZU	8 8121 8 0330
With Ground Screw Hole	MOBILETRON	RN-02
With Aluminum Heat sinks	WAI	31-8207
	CARGO	135416
	TRANSP0	INR728P

NPD11306



FEATURES	Original & X-References..	
Diodes: 8-50 Ampere	NIPPONDENSO	121000-4230
Diameter OD: 113mm		121000-4250
With M6 Battery Post	WAI	31-8232
With Ground Screw Hole	TRANSP0	INR735
For use on: Acura		
NPD11312		
Diodes: 8-50 Ampere		
Without Ground Screw Hole		

NPD11306L



FEATURES	Original & X-References..	
Diodes:8-50 Ampere	NIPPONDENSO	121000-4230
Diameter OD: 113mm		121000-4250
With M6 Battery Post	WAI	31-8232
With Ground Screw Hole	TRANSP0	INR735P
With Aluminum Heat sinks		

NPD11308



FEATURES

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8×47mm Battery Post
With Ground Screw Hole

Original & X-References..

DENSO	021580-4250
	021580-4590
MOBILETRON	RN-16
WAI	31-8215
CARGO	233246
TRANSPO	INR736

NPD11308L



FEATURES

Diodes:8-50 Ampere
Diameter OD: 113mm
With M8×47mm Battery Post
With Ground Screw Hole
With Aluminum Heat sinks

Original & X-References..

DENSO	021580-4250
	021580-4590
MOBILETRON	RN-16
WAI	31-8215
CARGO	233246
TRANSPO	INR736P

NPD11310



FEATURES

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M6 Battery Post
With Ground Screw Hole

Original & X-References..

FILS LESTER NUMBERS
13410 13687 13791

NPD11401L



FEATURES

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M5×47.5mm Battery Post
With M5×35mm Ground Post
With M5×41.5mm Mounting Bolt
With aluminum heat sink

Original & X-References..

021580-2300

NPD11401

Diodes: 8-35 Ampere
With Cooper Heat sinks

NPD11414L

Diodes: 6-50 Ampere
With Aluminum Heat sinks

NPD11402



FEATURES

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6×48.5mm Battery Post
With M5×40mm Battery Mounting Bolt
With M5×40mm Ground Post
With M5×35mm Ground Mounting Bolt
With Trio
With cooper heat sink

Original & X-References..



NPD11404

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 114mm
 With M6×48.5mm Battery Post
 With M5×40mm Ground Post
 With M5×41.5mm Mounting Bolt
 With Trio
 With cooper heat sink

Original & X-References..



NPD11406L

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 114mm
 With M6×48.5mm Battery Post
 With M5×35mm Ground Post
 With M5×41.5mm Mounting Bolt
NPD11406
 Diodes: 6-35 Ampere
 With Cooper Heat sinks
NPD11412
 Diodes: 8-35 Ampere
 With M6×40mm Battery Post
 With cooper heatsink

Original & X-References..

NIPPONDENSO 021590 1890
 021590 1990
 021590 1910
 CARGO 132657

NPD11406-1

Diodes : 8-35 Ampere
 With cooper heat sink

NPD11406L-1

Diodes: 8-35 Ampere
 With Aluminum Heat sinks



NPD11407L

FEATURES

Diodes: 8-35 Ampere Dish Diodes
 Diameter OD: 114mm
 With M6×48.5mm Battery Post
 With M5×35mm Ground Post
 With M5×41.5mm Mounting Bolt
 With aluminum heat sink
 With Aluminum Heat sinks

Original & X-References..

NPD11407

Diodes: 8-35 Ampere
 With cooper heat sink

NPD11407-1

With M6×40mm Battery Post
 With cooper heat sink



NPD11408

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 100mm
 With M6×49.5mm Battery Post
 With M5×36mm Battery Mounting Bolt
 With M5×38mm Ground Post
 With M5×38mm Ground Mounting Bolt

Original & X-References..

NIPPONDENSO 021600-1340
 CARGO 135884
 TRANSP0 INR400



NPD11410

FEATURES

Diodes: 8-35 Ampere
 Diameter OD: 114mm
 With M6×48.5mm Battery Post
 With M5×40mm Battery Mounting Bolt
 With M5×40mm Ground Post
 With M5×35mm Ground Mounting Bolt
 With Trio
 With cooper heat sink

Original & X-References..



NPD11411

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 114mm
 With M6×55mm Battery Post
 With M5×40mm Ground Post
 With M5×41.5mm Mounting Bolt
 With Trio
 With cooper heat sink

Original & X-References..



NPD11701

FEATURES

Diodes: 6-50 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M6×33mm Battery Post
 With Aluminum Heat sinks

Original & X-References..



NPD11702

FEATURES

Diodes: 12-50 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M6×33mm Battery Post
 With Aluminum Heat sinks
 For use on: 2003 Toyota Tundra Pickup
 4.7L

Original & X-References..

NIPPONDENSO	104210338
TOYOTA	27060-0F040
MOBILETRON	RN-34
CARGO	237607
TRANSPO	INR422



NPD11703

FEATURES

Diodes: 12-50 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M8×46mm Battery Post
 With Aluminum Heat sinks
 For use on:
 2002-2003 Chrysler 300M 3.5L
 2002-2003 Chrysler Concorde 3.5L
 2002-2003 Dodge Intrepid 3.5L

Original & X-References..

NIPPONDENSO	421000-0120
MOBILETRON	RN-30
TRANSPO	INR420



NPD11705

FEATURES

Diodes: 6-50 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M6×34.5mm Battery Post
 With Aluminum Heat sinks

Original & X-References..



NPD11706

FEATURES

Diodes: 12-50 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M8×30mm Battery Post
 With Aluminum Heat sinks
 For use on: 2001-2003 Chrysler Town
 & Country 3.3L
 2001-2003 Dodge Caravan 3.3L

Original & X-References..

MOBILETRON	RN-29
CARGO	237607
TRANSPO	INR421



NPD11707

FEATURES

Diodes: 12-35A Avalanche Press-Fit
 Diameter OD: 117mm
 With M8×46mm Battery Post
 With Copper Heat sinks
 For use on: 2002-01 Acura MDX3.5L
 2004-02 Honda Odyssey 3.5L
 2004-03 Honda Pilot 3.5L

Original & X-References..

TRANSPO	INR424
---------	--------



NPD11708

FEATURES

Diodes: 12-35 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M8×40mm Battery Post
 With Copper Heat sinks
 For use on: 2005 Chrysler Sebring 2.4L
 2005 Chrysler Town & Country 3.3L
 2005-04 Dodge Durango 5.7L

Original & X-References..

CARGO	235589
TRANSPO	INR423

NPD11708L

With Aluminum Heat sinks

NPD11711

With M6×33mm Battery Post

CARGO	236328
-------	--------



NPD11709

FEATURES

Diodes: 12-35 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M6×34.5mm Battery Post
 With Aluminum Heat sinks

Original & X-References..

For use on :	
	2001-05 Cadillac Deville FWD4.6L
	2001-04 Cadillac Seville 4.6L
	2004-05 Pontiac Bonneville 4.6L
TRANSPO	INR425



NPD11710

FEATURES

Diodes: 6-50 A Avalanche Press-Fit
 Diameter OD: 117mm
 With M8×30mm Battery Post
 With Aluminum Heat sinks

Original & X-References..



NPD11712

FEATURES	Original & X-References..
Diodes :7-50 A Avalanche Press-Fit Diameter OD : 117mm With M8×30mm Battery Post With Aluminum Heat sinks	CARGO 237613



NPD11714

FEATURES	Original & X-References..
Diodes : 6-50A Avalanche Press-Fit Diameter OD : 117mm With M8×46mm Battery Post With Aluminum Heat sinks	



NPD11718L

FEATURES	Original & X-References..
Diodes : 6-50A Avalanche Press-Fit Diameter OD : 117mm With M8×46mm Battery Post With Aluminum Heat sinks	



NPD11720L

FEATURES	Original & X-References..
Diodes :7-50A Avalanche Press-Fit Diameter OD : 117mm With M8×40mm Battery Post With Aluminum Heat sinks	



NPD11722L

FEATURES	Original & X-References..
Diodes:12-35A Avalanche Press-Fit Diameter OD : 117mm With M8×40.5mm Battery Post With Aluminum Heat sinks	



NPD11501A

FEATURES

Diodes :6-50 A Avalanche Press-Fit
 Diameter OD : 113mm
 With M6×33mm Battery Post
 With Aluminum Heat sinks

Original & X-References..



NPD13401A

FEATURES

Diodes:12-60A Avalanche
 With M8×46mm Battery Post

Original & X-References..

104210-6100
 INR435
 11181



NPD13002

FEATURES

Diodes: 6-35 Ampere
 Diameter OD: 130mm
 With M10×50.5mm Battery Post
 With M6×40mm Ground Post
 With Trio/Capacitor

Original & X-References..



NPD13801

FEATURES

Diodes: 8-50 Ampere Press-Fit
 Diameter OD:138mm
 With Aluminum Heat sinks
 With 5/16"×60mm Battery Post

Original & X-References..

3146-3800

NPD13801B

Diodes: 8-50 A Avalanche Press-Fit
 For 24V Alternators



Φ107mm

VAL840

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 107mm
 With M8×49mm Battery Post
 Without Trio
 Without "W" Terminal
 For use on: Passit

Original & X-References..

VALEO 593174
 CARGO 138303

VAL841

Diodes: 8-50A Avalanche

VAL842

Diodes: 8-50A Avalanche
 With "W" Terminal

VAL844



Φ107mm

FEATURES

Diodes: 6-50A Avalanche
Diameter OD: 107mm
With M8×49mm Battery Post
With Trio
With “W” Terminal
For use on: Renault, Peugeot

Original & X-References..

VALEO	2546062	2546076
	592844	592917
CARGO	135427	
TRANSPO	IPR844	

VAL845 8-50A Avalanche

VAL856 6-50A Avalanche

With M8×59mm Battery Post

VAL846



Φ107mm

FEATURES

Diodes: 8-50 A Avalanche
Diameter OD: 107mm
With M8×60.8mm Battery Post
With Trio
With “W” Terminal

Original & X-References..

VALEO	2545941	545940
	592846	592847
	A546860A	NF007
CARGO	135518	
TRANSPO	IPR846	

VAL846-1

With (M8+M6)×46mm Battery Post

For use on: Renault, Peugeot

VAL846-1



Φ107mm

FEATURES

Diodes:8-50 A Avalanche
Diameter OD : 107mm
With “W” Terminal
With Trio

Original & X-References..

VAL847



Φ107mm

FEATURES

Diodes: 6-50A Avalanche
Diameter OD: 107mm
With M8×60.8mm Battery Post
Without Trio
With “W” Terminal
For use on: Renault, Peugeot

Original & X-References..

MOBILETRON	MFRX03952	
	RP-18	
VALEO	2545938	545937
TRANSPO	IPR847	

VAL850

Diodes: 8-50A Avalanche

VAL848



Φ107mm

FEATURES

Diodes:6-50A Avalanche
Diameter OD:107mm
With M8×49mm Battery Post
Without Trio
Without “W” Terminal

Original & X-References..

For use on: Citroen, Peugeot



VAL852

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 107mm
 With M8×60.8mm Battery Post
 Without Trio
 With “W” Terminal

VAL855

Diodes: 8-50 A Avalanche

VAL852-1

With(M8+M6) ×50mm Battery Post

Original & X-References..



VAL853

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 107mm
 With M8×49mm Battery Post
 Without “W” Terminal
 With Trio

VAL853-2

Diodes: 6-50 Ampere

VAL814

Diodes: 8-50A Avalanche

Original & X-References..

TRANSP0 MER592



VAL855-1

FEATURES

Diodes:6-50A Avalanche
 Diameter OD:107mm
 With (M8+M6) × 46mm Battery Post
 Without Trio
 With “W” Terminal

VAL855-2

With(M8+M6) ×50mm Battery Post

Original & X-References..



VAL857

FEATURES

Diodes: 8-50A Avalanche
 Diameter OD: 107mm
 With M8×43mm Battery Post
 With Trio
 With “W” Terminal

VAL857-1

With M8×40mm Battery Post

VAL851

Diodes: 6-50 A Avalanche

Original & X-References..

VALEO	2546048	546041
	592848	NF009
MOBILETRON	RP-13	
CARGO	135278	
TRANSP0	IPR848	



VAL858B

FEATURES

Diodes: 6-50A Avalanche
 Diameter OD: 107mm
 With M8×49mm Battery Post
 With M5×25mm W-post
 With Trio
 For 24V Alternator

Original & X-References..

VALEO 2546423



VAL815

FEATURES

Diodes: 12-50A Avalanche
 With M8×37.5mm Battery Post
 With M4×19mm Mounting Bolt

Original & X-References..

CARGO 233614



VAL815P

FEATURES

Diodes : 12-35A Avalanche
 With M8×37.5mm Battery Post
 With M4×14mm Mounting Bolt

Original & X-References..

CARGO 233614



VAL815-104

FEATURES

Diodes: 12-50A Avalanche
 With M8×50mm Battery Post
 With M4×19mm Mounting Bolt

Original & X-References..

CARGO 233614



VAL816

FEATURES

Diodes: 12-50A Avalanche
 With M8×37.5mm Battery Post
 With M4×19mm Mounting Bolt

Original & X-References..

VALEO 593287 593499
 2809019 2809020
 CARGO 232199
 TRANSPO MER1920



VAL816P

FEATURES

Diodes : 12-35A Avalanche
 With M8×37.5mm Battery Post
 With M4×14mm Mounting Bolt

Original & X-References..

VALEO 593287 593499
 2809019 2809020
 CARGO 232199
 TRANSPO MER1920



VAL103

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 Without Trio
 Without Capacitor
 For use on: Renault

Original & X-References..

HUCO	139668
J&N ELECTRIC	172-40036
LANDMAN B.V.	M8060
LECLERCQ	009-0232
LUCAS	21224163
SWS	PR114017
TRANSPO	IPR103



VAL135

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 Without Trio
 For use on: Renault, Toro, Winnebago

Original & X-References..

VALEO	A103543A	
	A180593A	NC145
MOBLIETRON	RP-01	
WAI	31-9421	
CARGO	131228	
TRANSPO	IPR135	



VAL157

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 Without Capacitor
 Without Trio
 For use on: Renault Alliance, 18I Fuego

Original & X-References..

VALEO	NC133	NC216
MOBLIETRON	RP-03	
TRANSPO	IPR157	



VAL204

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio
 With 82 Ohm Resistor

Original & X-References..



VAL252

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 Without Trio
 Live "W" Circuit
 For use on: Renault

Original & X-References..

VALEO	A523707A	
	A523724A	NC141
MOBLIETRON	RP-07	
WAI	31-9442	
CARGO	132985	
TRANSPO	IPR252	



VAL253

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 Without Trio
 Live "W" Circuit

Original & X-References..



VAL537

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio
 For use on: Citroen, fiat, peugeot

Original & X-References..

VALEO	592595
	A180537A
	NC144
MOBILETRON	MFRX03782
	RP-04H
TRANSPO	IPR537



VAL538

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio
 For use on: Peugeot 205, Renault R25

Original & X-References..

VALEO	592747
	592749
	NC976
WAI	31-9434
TRANSPO	IPR747



VAL539

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 Without Trio
 For use on: AMC, Peugeot, Renault

Original & X-References..

VALEO	A105901A	
	NC139	NC936
LUCAS	21225388	
MOBLIETRON	RP-03	
WAI	31-9402	
CARGO	133689	
TRANSPO	IPR539	



VAL551

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio
 Live "W" Circuit
 For use on: Volvo Penta

Original & X-References..

VALEO	A523726A	
	NC135	NC730
LUCAS	21225388	
MOBLIETRON	RP-02	
WAI	31-9403	
CARGO	131701	
TRANSPO	IPR551	



VAL552

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio
 With 200 Ohm Resistor
 Live "W" Circuit

Original & X-References..



VAL615

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 Without Trio

Original & X-References..

VALEO	NC143	104247
WAI	31-9414	
CARGO	131573	
TRANSPO	IPR615	



VAL616

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio

Original & X-References..

VALEO	A103543A	
	A180593A	
	NC145	
WAI	31-9421	
CARGO	131228	
TRANSPO	IPR135	



VAL687

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio

Original & X-References..



VAL688

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio
 For use on: Peugeot, Renault, Saab

Original & X-References..

VALEO	592596	NC138
LUCAS	21225400	UBB240
MOBLIETRON	RP-04	
WAI	31-9413	
CARGO	131164	
TRANSPO	IPR203	



VAL713

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio

For use on: Porsche

Original & X-References..

VALEO	210303
MOBLIETRON	RP-05H
WAI	31-9405
	31-9405-1
CARGO	133687
TRANSPO	IPR713



VAL773

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 Without Capacitor
 With Trio
 With 82 Ohm Resistor
 For use on: Peugeot Diesel

Original & X-References..

VALEO	NC134	NC217
MOBILETRON	RP-04R	
WAI	31-9401	
CARGO	131569	
TRANSPO	IPR773	



VAL813

FEATURES

Diodes: 6-50 Ampere
 Diameter OD: 115mm
 With Capacitor
 With Trio
 With 82 Ohm Resistor

VAL813-2

With 200 Ohm Resistor
 For use on: Peugeot

Original & X-References..

VALEO	A521404A	NC142
MOBLIETRON	RP-09R	
WAI	31-9430	
CARGO	133741	
TRANSPO	IPR813	



VAL201

FEATURES

Diodes: 6-50A Avalanche
 With (M8+M6)×44.5mm Battery Post
 With M5×23mm Mounting Bolt
 With Trio

Customer provide Negative heat sink

Original & X-References..



VAL205

FEATURES

Diodes: 6-50A Avalanche
 With (M8+M6)×44.5mm Battery Post
 With M5×23mm Mounting Bolt

Customer provide Negative heat sink

Original & X-References..



VAL206

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-50A Avalanche With M8×30mm Battery Post With M5×23mm Mounting Bolt	
--	--



VAL208

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-60A Avalanche With (M8+M6)×44.5mm Battery Post With M5×23mm Mounting Bolt	
---	--

CARGO	233615
-------	--------

Customer provide Negative heat sink



VAL209-2

FEATURES	Original & X-References..
----------	---------------------------

Diodes : 6-50A Avalanche With (M8+M6) ×51.5mm Battery Post With M5×23mm Mounting Bolt	
---	--

Customer provide Negative heat sink



VAL211

FEATURES	Original & X-References..
----------	---------------------------

Diodes : 6-50A Avalanche With (M8+M6) ×53mm Battery Post With M5×25mm Mounting Bolt With Trio	
--	--

Customer provide Negative heat sink



VAL212

FEATURES	Original & X-References..
----------	---------------------------

Diodes: 6-50 A Avalanche With M8×34.5mm Battery Post With M5×36.5mm Mounting Bolt Without Trio	
---	--

Customer provide Negative heat sink



VAL212-2

FEATURES

Original & X-References..

Diodes:6-50 A Avalanche
With M8×34.5mm Battery Post
With M5×36.5mm Mounting Bolt
Without Trio

Customer provide Negative heat sink



VAL213

FEATURES

Original & X-References..

Diodes: 6-60A Avalanche
With (M8+M6)×44.5 mm Battery Post
With M5×23mm Mounting Bolt

Customer provide Negative heat sink



VAL215-2

FEATURES

Original & X-References..

Diodes:6-50A Avalanche
With M8×40mm Battery Post

Customer provide Negative heat sink



VAL215-3

FEATURES

Original & X-References..

Diodes:6-50A Avalanche
With M8×40mm Battery Post
Without Trio

Customer provide Negative heat sink



VAL216

FEATURES

Original & X-References..

Diodes : 6-50A Avalanche
With (M8+M6) ×51.5mm Battery Post
With M5×23mm Mounting Bolt
With Trio

Customer provide Negative heat sink



VAL218

FEATURES

Diodes : 6-50A Avalanche
With (M8+M6) ×44.5mm Battery Post
With M5×23mm Mounting Bolt

Customer provide Negative heat sink

Original & X-References..



VAL219

FEATURES

Diodes : 6-35A Avalanche(ACTRON)
With (M6+M6) ×47.5mm Battery Post
With Trio

Customer provide Negative heat sink

Original & X-References..



VAL223

FEATURES

Diodes : 6-50A Avalanche
With M6×34.5mm Battery Post
With M5×36.5mm Mounting Bolt
Without Trio

Customer provide Negative heat sink

Original & X-References..

TRANSPO TG9C013



VAL225

FEATURES

Diodes:6-50A Avalanche
With (M8+M6)×53mm Battery Post
With Trio

Customer provide Negative heat sink

Original & X-References..



VAL230

FEATURES

Diodes:6-50A Avalanche
With M8×35mm Battery Post
With M5×36.5mm Mounting Bolt
Without Trio

Customer provide Negative heat sink

Original & X-References..

TRANSPO MER524



VAL901

FEATURES	Original & X-References..	
Diodes: 8-50A Avalanche	VALEO	593397
With (M8+M6)×52.5mm Battery Post	CARGO	231101
With M5×23mm Mounting Bolt		
With Trio		
Customer provide Negative heat sink		



VAL902-2

FEATURES	Original & X-References..	
Diodes : 8-50A Avalanche	TRANSPO	SG12B019
With (M8+M6) ×44.5mm Battery Post		
With M5×25 mm Mounting Bolt		
Without Trio		
Customer provide Negative heat sink		



VAL903

FEATURES	Original & X-References..	
Diodes : 6-50A Avalanche		
With (M8+M6) ×44.5mm Battery Post		
With M5×23mm Mounting Bolt		
With Trio		
Customer provide Negative heat sink		



VAL905

FEATURES	Original & X-References..	
Diodes : 6-50A Avalanche		
With (M8+M6) ×44.5mm Battery Post		
With M5×23mm Mounting Bolt		
Customer provide Negative heat sink		



VAL906-1

FEATURES	Original & X-References..	
Diodes:6-50A Avalanche		
With(M8+M6)×41.5mm Battery Post		
Without Trio		
Customer provide Negative heat sink		



VAL927

FEATURES

Diodes: 6-50A Avalanche
With (M8+M6)×44.5mm Battery Post
With M5×23mm Mounting Bolt

Original & X-References..

VALEO SG14B019
SG14B020
LESTER 13970



VAL928

FEATURES

Diodes: 6-50A Avalanche
With (M8+M6)×44.5mm Battery Post
With M5×23mm Mounting Bolt

Original & X-References..



VAL201H

FEATURES

Diodes: 3-50 A Avalanche
With Trio
With (M8+M6)×44.5mm Battery Post
Without negative heat sink as **VAL201**

Original & X-References..



VAL202H

FEATURES

Diodes: 3-60 A Avalanche
Without Trio
With M8×30mm Battery Post
Without negative heat sink

Original & X-References..



VAL205H

FEATURES

Diodes: 3-50 A Avalanche
Without Trio
With (M8+M6)×44.5mm Battery Post
Without negative heat sink as **VAL205**

Original & X-References..



VAL206H

FEATURES

Diodes: 3-50 A Avalanche
Without Trio
With M8×30mm Battery Post
Without negative heat sink as **VAL206**

Original & X-References..



VAL208H

FEATURES

Diodes: 3-60 A Avalanche
Without Trio
With (M8+M6)×44.5mm Battery Post
Without negative heat sink as **VAL208**

Original & X-References..



VAL212H

FEATURES

Diodes: 3-50 A Avalanche
Without Trio
With M8×34.5mm Battery Post
Without negative heat sink as **VAL212**

Original & X-References..



VAL213H

FEATURES

Diodes: 3-60 A Avalanche
Without Trio
With (M8+M6)×44.5mm Battery Post
Without negative heat sink as **VAL213**

Original & X-References..



VAL214H

FEATURES

Diodes: 3-60 A Avalanche
Without Trio
With M8×33.3mm Battery Post
Without negative heat sink as

Original & X-References..

SG 15S021
CA 1509IR
CARGO 235654



VAL220H

FEATURES

Original & X-References..

Diodes:3-50 A Avalanche
With (M8+M6)×44.5mm Battery Post
With Trio

Without negative heat sink as



VAL902H

FEATURES

Original & X-References..

Diodes: 4-50 A Avalanche
Without Trio
With (M8+M6)×44.5mm Battery Post
Without negative heat sink as



VAL921H

FEATURES

Original & X-References..

Diodes:3-50 A Avalanche
With M8×32mm Battery Post
Without Trio

Without negative heat sink as
